



HP Series 3 Pro 27 inch FHD Monitor - 327ph

Brand : HP

Product family: Series 3 Pro

Product code: B0CG8UT#ABA

Product name : Series 3 Pro 27
inch FHD Monitor - 327ph

- Expand your workspace with 27 inches of quality IPS screen, FHD resolution, and up to 100 Hz refresh rate^[1] for sharp images and fluid motion.
 - Stay in the zone without sacrificing comfort with HP Eye Ease, a color-accurate hardware low-blue light filter, and height and tilt adjustability.
 - Keep the focus on your screen with a 3-sided micro-edge bezel and built-in 2 x 2W downfiring speakers. Easily adjust settings with the joypad OSD button.
 - ENERGY STAR certified and EPEAT registered,^[3] this monitor meets high energy-saving standards and is thoughtfully designed with recycled materials.^[2]
- Series 3 Pro 27 inch FHD Monitor - 327ph

[HP Series 3 Pro 27 inch FHD Monitor - 327ph:](#)


Redefine the everyday

Expand your view in comfort with a spacious, thoughtfully designed 27 inches of workspace. Boasting a crisp, smooth screen and a simple yet functional design, this HP Series 3 Pro 27" FHD monitor lets you work better all day.



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPorts quantity	1
Display resolution *	1920 x 1080 pixels	DisplayPort version	1.2
HD type *	Full HD	HDCP	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
LED backlight	✓	Cable lock slot *	✓
Backlight type	Edge LED	Height adjustment *	✓
Touchscreen *	✗	Adjustable height (max)	10 cm
Display brightness (typical)	250 cd/m ²	Tilt adjustment	✓
Response time *	5 ms	Tilt angle range	-5 - 20°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	✓
Display surface	Matt	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	D
Screen shape *	Flat	Energy efficiency class (HDR) *	D
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Energy consumption (SDR) per 1000 hours *	16 kWh
		Power consumption (typical) *	27 W
Aspect ratio	16:9	Power consumption (standby) *	0.5 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	40 W
Contrast ratio (dynamic)	8000000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	100 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50/60 Hz
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	16.7 million colours	Energy efficiency scale	A to G
Pixel pitch	0.3114 x 0.3114 mm	Operational conditions	
Pixel density	82 ppi	Operating temperature (T-T)	5 - 35 °C
Horizontal scan range	30 - 115 kHz	Operating relative humidity (H-H)	5 - 95%
Vertical scan range	48 - 100 Hz	Storage relative humidity (H-H)	20 - 80%
Viewable size, horizontal	59.8 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	33.6 cm	Non-operating altitude	0 - 12192 m

Display		Weight & dimensions	
Display diagonal (metric)	68.6 cm	Width (with stand)	611 mm
Haze rate	25%	Depth (with stand)	202.3 mm
Surface hardness	3H	Height (with stand)	509.7 mm
Colour depth	8 bit	Weight (with stand)	5.86 kg
Colour gamut standard	NTSC	Weight (without stand)	4.54 kg
Colour gamut	72%	Packaging data	
NTSC coverage (typical)	72%	Package width	685 mm
Performance		Package depth	141 mm
NVIDIA G-SYNC *	✗	Package height	425 mm
Flicker-free technology	✓	Package weight	8.48 kg
Low Blue Light technology	✓	Package type	Box
HP segment	Business	Packaging content	
Multimedia		Stand included	✓
Number of speakers	2	Cables included	AC, HDMI
RMS rated power	4 W	Quick start guide	✓
Built-in speaker(s) *	✓	Sustainability	
Built-in camera *	✗	Sustainability certificates	ENERGY STAR
Design		Other features	
Market positioning *	Business	Country of origin	China, Thailand
Product colour *	Black	UNSPSC-code	43211902
Detachable stand	✓	Weight	4.54 kg
Feet colour	Black	Compliance certificates	BIS, BSMI, C-TICK, CCC, CE, CEL, EAC, Federal Communications Commission (FCC), PSE, RCM, VCCI, cTUVus
Ports & interfaces			
VGA (D-Sub) ports quantity	1		
HDMI *	✓		
HDMI ports quantity	1		
HDMI version	1.4		



0198828044150



198828044150

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.