



DELL Pro E2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: Pro

Product code: DELL-E2426H

Product name : E2426H

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS

- 8ms, 16:9, 300cd/m², 1000:1

- VGA, HDMI, DisplayPort

60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL Pro E2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this 23.8-inch fixed-stand monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL Pro E2426H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone out *	✗
Display resolution *	1920 x 1080 pixels	HDCP	✓
HD type *	Full HD	HDCP version	1.4
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
LED backlight	✓	Cable lock slot *	✓
Backlight type	Edge LED	Cable lock slot type	Kensington
Touchscreen *	✗	Height adjustment *	✗
Display brightness (typical)	300 cd/m ²	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	-5 - 21°
Response time measurement type	GTG (Gray to Gray)	Power	
Anti-glare screen	✓	Energy efficiency class (SDR) *	C
Screen shape *	Flat	Energy efficiency class (HDR) *	Not available
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Energy consumption (SDR) per 1000 hours *	12 kWh
		Power consumption (typical) *	11.8 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	31 W
Maximum refresh rate *	120 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.7 million colours	Input current	0.7 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density	93 ppi	Operational conditions	
Horizontal scan range	30 - 83 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 76 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	52.7 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size, vertical	29.6 cm	Storage relative humidity (H-H)	5 - 90%

Display		Operational conditions	
Viewable size diagonal	60.5 cm	Operating altitude	0 - 5000 m
Digital horizontal frequency	31 - 140 kHz	Non-operating altitude	0 - 12190 m
Digital vertical frequency	48 - 120 Hz	Weight & dimensions	
Display diagonal (metric)	60.45 cm	Width (with stand)	538.6 mm
Surface hardness	3H	Depth (with stand)	171 mm
NTSC coverage (typical)	72%	Height (with stand)	412.3 mm
Performance		Weight (with stand)	2.93 kg
NVIDIA G-SYNC *	✗	Width (without stand)	538.6 mm
AMD FreeSync *	✗	Depth (without stand)	47.7 mm
Flicker-free technology	✓	Height (without stand)	315.6 mm
Low Blue Light technology	✓	Weight (without stand)	2.63 kg
Multimedia		Bezel width (side)	5.8 mm
Built-in speaker(s) *	✗	Bezel width (top)	5.8 mm
Built-in camera *	✗	Bezel width (bottom)	1.33 cm
Design		Packaging data	
Market positioning *	Office	Package weight	4.52 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Black	Cables included	Power
Ports & interfaces		Sustainability	
Built-in USB hub *	✗	Sustainability certificates	California Energy Commission (CEC), EPEAT Climate +, ENERGY STAR, ErP, TCO, EPEAT
VGA (D-Sub) ports quantity	1	Doesn't contain	Brominated Flame Retardant (BFR), PVC, Arsenic, Mercury
HDMI *	✓	Other features	
HDMI ports quantity	1	Compliance certificates	GS mark, RoHS, WEEE, REACH
HDMI version	1.4		
DisplayPorts quantity	1		
DisplayPort version	1.4		



0884116701163



884116701163

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.