



# HP LaserJet Enterprise MFP 6600dn Printer

Simplify document workflows with blazing-fast speeds and customizable features. Seamlessly integrates with your existing fleet, scales for the future, and delivers industry-leading security to safeguard your data.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

## Highlights

- 20.3 cm Colour Touchscreen
- 650-sheet standard input
- 2,850-sheet max input
- Energy Star® Certified
- Blue Angel Certified

## Get the power to be more productive

- Save time with fast automatic 2-sided scanning up to 180 ipm and print speeds up to 57 ppm to power through your tasks.<sup>2</sup>
- Stay ahead with FutureSmart firmware updates, keeping your fleet always up to date.<sup>3</sup>
- Customize workflows your way with printer and software configurations for your unique needs.

## Digitize your workflows with smart solutions

- Digitize large paperwork stacks in seconds — AI extracts and organizes key data from scans automatically.<sup>6</sup>
- Wherever you are in your digital transformation, find the perfect fit—on-premises or cloud, tailored to you.

## Protect what matters with the most secure printer<sup>1</sup>

- Keep your work protected—HP Wolf silently detects and repairs your printer from cyberattacks.<sup>1</sup>
- Simplify compliance—HP Security Manager enforces policies automatically, so you're always audit-ready.<sup>8</sup>
- Grant access only to verified users and devices with HP's Zero Trust Print Architecture.<sup>9</sup>
- Get peace of mind with future-ready security — the world's first printers protected against quantum attacks.<sup>10</sup>

## Save energy and help reduce waste

- Reduce costs and environmental impact with printers and toner cartridges that use less energy.<sup>11</sup>
- Meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel with our energy efficient designs.<sup>12</sup>
- Help reduce plastic waste with TerraJet Toner Cartridges designed with recycled plastics.<sup>13</sup>
- Easily recycle your used HP TerraJet Toner Cartridges for free through the HP Planet Partners Program.<sup>14</sup>

- 1. 150-sheet dual side ADF supports media sizes up to Legal (21.6 x 35.6 cm)
- 2. Hardware Integration Pocket (for connecting accessories and third-party devices)<sup>1</sup>
- 3. 550-sheet tray 2 supports media sizes up to Legal (21.6 x 35.6 cm)
- 4. 100-sheet multipurpose tray 1 supports media sizes up to Legal (21.6 x 35.6 cm)
- 5. Automatic 2-sided printing
- 6. 8-inch colour touchscreen display (20.3cm)



**Accessories, Supplies and Support**

**Supplies<sup>9</sup>**

- 6H122A** HP LaserJet ADF Maintenance Kit
- 6M1P3A** HP LaserJet ADF Flow Maintenance Kit
- C35T4A** HP LaserJet 220V Fuser Kit (Transactional: ~225,000 pages, Managed: ~300,000 pages)
- C35T5A** HP LaserJet Transfer Roller Kit (~225,000 pages)
- C35T6A** HP LaserJet Tray 2 Roller Kit (Transactional: ~150,000 pages, Managed: ~225,000 pages)
- W1600A** HP 160A Black Original LaserJet Toner Cartridge (Average cartridge yields 10,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
- W1600Y** HP 160Y Black Original LaserJet Toner Cartridge (Average cartridge yields 38,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)

**Accessories**

- 1M0Q0A** HP MFP Analog Fax 702 Accessory
- 2TD64A** HP Accessibility Kit
- 478C2A** HP Printing Voice Assistant
- 4XN67A** Internal USB Expansion Kit
- 6C7M6A** HP LaserJet 550-sheet Paper Tray
- 766R7A** HP LaserJet 512 GB SED-TAA Solid State Drive
- 8FP31A** HP Jetdirect LAN Accessory
- 9R1U0A** HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory
- B01KLA** HP LaserJet 3x550 Sheet Paper Tray with Stand
- B01KMA** HP LaserJet Lunar Gray 3x550 Sheet Paper Tray with Stand
- B01KNA** HP LaserJet Comet Red 3x550 Sheet Paper Tray with Stand
- B01KPA** HP LaserJet Cosmic Green 3x550 Sheet Paper Tray with Stand
- B01KQA** HP LaserJet Aurora Purple 3x550 Sheet Paper Tray with Stand
- B01KRA** HP LaserJet Constellation Yellow 3x550 Sheet Paper Tray with Stand
- B01KSA** HP LaserJet Envelope Feeder Kit
- B01KTA** HP LaserJet 550 Sheet Paper Tray with Storage Stand
- B01KVA** HP LaserJet Lunar Gray 550 Sheet Paper Tray with Storage Stand

- B01KWA** HP LaserJet Comet Red 550 Sheet PaperTray Storage Stand
  - B01KXA** HP LaserJet Cosmic Green 550 Sheet Paper Tray with Storage Stand
  - B01KYA** HP LaserJet Aurora Purple 550 Sheet Paper Tray with Storage Stand
  - B01KZA** HP LaserJet Constellation Yellow 550 Sheet Paper Tray with Storage Stand
  - B18J1A** HP LaserJet 512GB M.2 2280 NVMe CCC/FIPS/TAA Solid State Drive
  - B5L31A** HP Foreign Interface Harness
  - B8GR1A** HP LaserJet 550 Sheet Paper Constellation Yellow Tray
  - B8GR2A** HP LaserJet 550 sheet Paper Cosmic Green Tray
  - B8GR3A** HP LaserJet 550 sheet Paper Aurora Purple Tray
  - B8GR4A** HP LaserJet 550 sheet Paper Comet Red Tray
  - B8GR5A** HP LaserJet 550 sheet Paper Lunar Gray Tray
  - X3D03B** HP USB Universal Card Reader
  - Y7C05B** HP HIP2 Keystroke Reader
  - 35H11B** HP HID Mob Acc Mifare DES Fire ks Reader
  - 4QL32A** HP Legic Secure USB Reader
- Service and Support**
- UP9P3E** - HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600
  - UP9P4E** - HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600
  - UP9P5E** - HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600
  - UP9P6PE** - HP 1 year Post Warranty Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600
  - UP9Q9E** - HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600
  - UP9R0E** - HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600
  - UP9R1E** - HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600
  - UP9R2PE** - HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600
  - U9JT2E** - HP Inst SVC w/nw Workgroup Printer

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

## Technical specifications

|                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model                                        | HP LaserJet Enterprise MFP 6600dn Printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Product number                               | 675T8A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Functions                                    | Print, copy, scan, fax (optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Control panel                                | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Print</b>                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Print technology                             | Laser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Print speed <sup>15,16</sup>                 | <b>Black (A4, normal):</b> Up to 55 ppm ; <b>Black (A4, duplex):</b> Up to 50 ipm ; <b>Print speed black (Portrait, A5):</b> Up to 5 ppm ; <b>Print speed black (Landscape, A5):</b> Up to 83 ppm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| First page out <sup>17</sup>                 | <b>Black (A4, ready):</b> As fast as 3.9 sec ; <b>Black (A4, sleep):</b> As fast as 8.1 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Print resolution                             | <b>Black (best):</b> Up to 1200 x 1200 dpi ; <b>Technology:</b> Normal (600 x 600 dpi with FastRes), Fine Lines (1,200 x 1,200 dpi), Quickview (300 x 300 dpi), Economode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Monthly duty cycle <sup>18</sup>             | Up to 360,000 pages A4; <b>Recommended monthly page volume</b> <sup>19</sup> : 6,000 to 30,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Printer smart software features              | Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 8 in (20.3 cm) or 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Standard print languages                     | HP PCL 6, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Fonts and typefaces                          | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation information available in the user guide and documentation for this printer model at <a href="http://www.hp.com/support">http://www.hp.com/support</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Print area                                   | <b>Print margins</b> Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area : 212 x 352 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Duplex printing                              | Automatic (standard)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Copy</b>                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Copy speed <sup>6</sup>                      | <b>Black (A4):</b> Up to 55 cpm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Copier specifications                        | Book Copy; Booklet; Build Job; Collation; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Staple; Text/Photo; Tray Selection; Two-sided copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically straighten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Auto paper color removal; Document editing; <b>Maximum number of copies:</b> Up to 9999 copies; <b>Reduce/Enlarge:</b> 25 to 400%                                                                                                                                                                                                                       |
| <b>Scan</b>                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Scan speed <sup>2</sup>                      | <b>Normal (A4):</b> Up to 86 ppm/ 172 ipm (b&w), up to 86 ppm/ 172 ipm (color) ; <b>Duplex (A4):</b> Up to 172 ipm (b&w), up to 172 ipm (color)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Scan file format <sup>5</sup>                | <b>Standard:</b> JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR);                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Scanner specifications                       | <b>Scanner type</b> Flatbed, ADF; <b>Scan technology:</b> Charge Coupled Device (CCD); <b>Scan input modes:</b> Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; <b>Twain version:</b> Version 2.4; <b>Duplex ADF scanning:</b> Yes, single pass duplexing ADF; <b>Optical scan resolution:</b> up to 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Recommended monthly scan volume <sup>3</sup> | 14,250 to 23,750                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Scannable area                               | <b>Maximum media size (flatbed):</b> 216 x 356 mm ; <b>Minimum media size (ADF):</b> 68 x 147 mm <b>Maximum media size (ADF):</b> 216 x 864 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Bit depth/ Grey scale levels                 | 24-bit / 256                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Digital sending                              | Standard: Embedded OCR; scan to OneDrive; scan to OneDrive for Business; scan to SharePoint Online; scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten                                                                                                                                                                                                                                                                                                            |
| <b>Fax</b>                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Fax/modem                                    | Fax: Optional Modem: Optional                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Fax specifications                           | <b>Fax memory:</b> Up to 1000 pages; <b>Fax resolution:</b> Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Fax smart software features                  | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Processor speed                              | Quad Core (1.6 GHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Storage <sup>1</sup>                         | 32 GB eMMC; 512 GB SSD (Optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Connectivity</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Standard                                     | 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hardware Integration Pocket 2nd generation (HIP2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Optional                                     | HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A; HP Jetdirect LAN Accessory 8FP31A; HP LJ MFP Analog Fax Accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Mobile printing capability                   | Apple AirPrint™; Mopria™ certified                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Supported network protocols                  | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x                                                                                                                                                                                                                                                                                                                                                                                                         |
| Network capabilities                         | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Link; IPsec (standard); WiFi 2.4/5 GHz wireless networking (optional); Second Ethernet port (optional); Microsoft Universal Print (MUP) support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Hard disk                                    | Standard, 32 GB eMMC; Optional, 512 GB SSD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Memory                                       | <b>Standard:</b> 6 GB; <b>Maximum:</b> 6 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Media handling</b>                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Number of paper trays                        | <b>Standard:</b> 2; <b>Maximum:</b> 6 <sup>22</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Media types                                  | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Media size                                   | <b>Custom (metric):</b> Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet Tray: 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: 98 x 162 to 178 x 254 mm <b>Supported (metric):</b> Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional 550-sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Automatic Duplexer: A4, A5, RA4, B5, 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), Oficio; Envelope Feeder Accessory: B5, C5, C6, DL <b>ADF:</b> Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in |

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model                                      | HP LaserJet Enterprise MFP 6600dn Printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product number                             | 675T8A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Media handling                             | <b>Standard input:</b> 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder <b>Standard output:</b> 500-sheet output feeder <b>Optional input:</b> Optional 1 x 550-sheet paper feeder, 1 x 550-sheet feeder with cabinet, 2000-sheet feeder high capacity input with 1 x 550-sheet paper feeder, optional 3 x 550-sheet feeder, optional envelope feeder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Media weight                               | Feeder 1: 60 to 200 g/m²; Feeder 2: 60 to 120 g/m²; Automatic Duplexer: 60 to 120 g/m²                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Input capacity                             | <b>Tray 1:</b> Sheets: 100; Envelopes: 10 <b>Tray 2:</b> Sheets: 550; Labels: Up to 500 <b>Tray 3:</b> Sheets: 550; Envelope Accessory Tray: 50 Envelopes <b>Maximum:</b> Up to 2850 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Output capacity                            | <b>Standard:</b> Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets <b>Maximum:</b> Up to 500 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Envelope feeder                            | Yes, 50 (optional) <sup>21</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Compatible operating systems <sup>13</sup> | Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjorlinux 20.2; Linux: Manjorlinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Compatible network operating systems       | Citrix; SAP; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; Windows Server 2025 64-bit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Minimum system requirements                | <b>Windows:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; <b>Mac:</b> 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Software included                          | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> ;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Security management                        | Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers, HP Authentication Suite with Workpath); Protected Access (embedded) end user passwordless MFA for Microsoft® Entra ID; Proximity card reader, single sign-on, smart card, CAC support. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft®); Secure Erase with job storage (3x overwrite for HDD, cryptographic erase for SSD); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; AI-enabled Guided Redaction data security (select models). Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); HP LaserJet Workflow Accelerator Card support (select HP MFP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Governance, and Compliance: FIPS 140-2, 140-3, Common Criteria Certification; HP Workpath support (select models); NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models); Original HP Enterprise Cartridge Security. |
| Printer management                         | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP Security Manager; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Dimensions and weight</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Printer dimensions (W x D x H)             | <b>Minimum</b> 500 x 425 x 575 mm; <b>Maximum:</b> 500 x 750 x 820 mm (control panel fully out, rear jam access door open, front cartridge door open, all feeders open and extended, ISA open)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Printer weight <sup>14</sup>               | ~24.2 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Operating environment                      | <b>Temperature:</b> 10 to 32.5°C <b>Humidity:</b> 30 to 70% RH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Storage conditions                         | <b>Temperature:</b> -20 to 40°C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Acoustics <sup>20</sup>                    | <b>Acoustic power emissions:</b> 7.0 B(A) <b>Acoustic pressure emissions:</b> 56 dB(A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Power <sup>7</sup>                         | <b>Requirements:</b> Input Voltage: 100V - 127V AC, 50 - 60Hz, 8.8A; or Input Voltage: 220V - 240V AC, 50 - 60Hz, 4.6A; <b>Consumption:</b> 750 watts (Printing), 22.1 watts (Ready), 0.77 watts (Sleep), 0.02 watts (Off); <b>Typical Electricity Consumption (TEC)</b> <sup>12</sup> : 0.575 kWh/Week (Blue Angel); 0.607 kWh/Week (ENERGY STAR 3.0); <b>Power supply type:</b> Built-in 3-Pin 115V or 220V Internal Power Supply                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Energy savings feature technology          | HP Auto-Off Technology; Instant-on Technology; Instant-on Copy; Power save; TerraJet Toner                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Certifications <sup>10</sup>               | UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. <b>Electromagnetic emission standard:</b> CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries. CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold India; EPEAT® Gold Australia; EPEAT® Gold Canada; EPEAT® Gold US; SEPA; KOECO; ENERGY STAR® certified; Korea MEPS; Vietnam MEPS <b>Blue Angel compliant</b> <sup>11</sup> Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Sustainable impact specifications          | Recyclable through HP Planet Partners; Contains at least 5% post-consumer recycled plastic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Country of origin                          | Czech Republic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| What's in the box <sup>8</sup>             | 675T8A HP LaserJet Enterprise MFP 6600n Printer; HP Black Original LaserJet Toner Cartridge (~10,000 yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Warranty                                   | One-year, onsite warranty service. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (warranty code 4G; warranty ID A001)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Footnotes

<sup>1</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of published features as of June 2025 of competitive in-class printers. Only HP offers a combination of security features to automatically detect, isolate, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. Printers are most vulnerable to attack when they are booting up and during runtime (when the printer is in sleep mode and in use). Only HP Enterprise printers protect the device during 100% of the printer's life with Sure Start BIOS protection, Memory Shield with hardware-based Runtime Intrusion Detection and Control Flow Integrity to detect and recover from zero-day threats in addition to Connection Inspector network behavioral anomaly detection all with self-healing recovery. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims).

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

<sup>4</sup> Not all MFPs may be compatible with Workpath apps. To enable HP AI Solutions, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription, professional services or licenses may be required.

<sup>5</sup> Guided Redaction estimated to be available Spring 2026 on select Flow MFPs (HP LaserJet Enterprise Flow MFP 6600zfw). Requires latest HP FutureSmart firmware and the purchase of the HP Workflow Accelerator Card accessory. Telephone and Social Security Number fields are optimized for North America and select European countries.

<sup>6</sup> Not all MFPs may be compatible with Workpath apps. To enable HP Scan AI Enhanced, license is required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

<sup>7</sup> Available as standard on Flow MFP models (HP LaserJet Enterprise Flow MFP 6600zfw).

<sup>8</sup> HP Security Manager must be purchased separately. For details, see [hp.com/go/securitymanager](http://hp.com/go/securitymanager).

<sup>9</sup> Delivered through implementation of HP Authentication Suite for Workpath-enabled devices and devices with embedded Protected Access both providing passwordless multifactor authentication for Microsoft Entra ID environments. Device identity provided by deployment of device certificates using HP Security Manager software, sold separately.

<sup>10</sup> Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, post-quantum digital signature, and initial BIOS firmware integrity protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS and firmware as of March 2025.

<sup>11</sup> Energy reduction in HP LaserJet Enterprise 6500-6501 and 6600 with HP Original 160 TerraJet Toner Cartridges compared to predecessor HP LaserJet Enterprise M610 and M634 with HP Original 147 Toner Cartridges. Calculated in 2026 based on normalized Energy Star® Typical Electricity Consumption (TEC) data. See [hp.com/TerraJet/energysaving](http://hp.com/TerraJet/energysaving) for more information.

<sup>12</sup> HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit [www.energystar.gov/productfinder](http://www.energystar.gov/productfinder) for more information on models of the HP LaserJet Enterprise 6500/MFP 6600 series that are ENERGY STAR certified in North America. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

<sup>13</sup> Recycled plastic in Original HP 159 and 160 TerraJet Toner Cartridges measured in 2026 and expressed as a percentage of total weight of plastic. See [hp.com/TerraJet/plasticreductions](http://hp.com/TerraJet/plasticreductions) for more information.

<sup>14</sup> Program availability varies. For more information, visit [hp.com/hprecycle](http://hp.com/hprecycle).

## Technical specifications disclaimers

<sup>1</sup> Optional storage is available up to a 512 GB SSD

<sup>2</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>3</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

<sup>4</sup> 75 gms

<sup>5</sup> Scan software not included in box. HP Scan and TWAIN driver available for download at <http://hp.com/support>.

<sup>6</sup> First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.

<sup>7</sup> Power consumption values based on measurement of 115 V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>8</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>9</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>10</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

<sup>11</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ENERGY STAR value typically based on measurement of 115 V device and 230 V for Blue Angel.

<sup>12</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

<sup>13</sup> Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/>; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers

<sup>14</sup> With print cartridges.

<sup>15</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>16</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>17</sup> Device first page out time based on HP internal measurement of printer activation until page exit. Measurement based on industry-standard ISO/IEC 17629 can be found at <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>18</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>19</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 12 months of output for the higher monthly value.

<sup>20</sup> Active Printing measured on worse case bundle/mode, printing A4 simplex at 56 ppm. Active Scan measured on worse case bundle/mode, scanning A4 Color Simplex to USB storage at 88 ppm for dn and 96 ppm for zfw.

