

## Viewsonic IFP65G1 interactive whiteboard 165.1 cm (65") 3840 x 2160 pixels Touchscreen Black HDMI

**Brand :** Viewsonic

**Product code:** IFP65G1


**Product name :** IFP65G1

- Bring Your Own OS interactive flat panel for versatile use in any scenario  
 - Seamless USB-C plug-and-play connectivity for convenient presentations  
 - 65W charging of peripheral devices, ensuring uninterrupted presentations  
 - Flexible integration with slot-in PCs, supporting Windows, Linux, and Android OS  
 65" TFT LCD, Touch, DLED, UHD, 16:9, 1.07B, 350 cd/m², 1200:1, 8ms, 178/178, 12W x2 + 16W, Wi-Fi, RJ45, HDMI, SPDIF, RS232, USB, 100-240 VAC, VESA, 26.4 kg  
 Viewsonic IFP65G1. Display diagonal: 165.1 cm (65"), Working area: 1209.6 x 680.4 mm, Display brightness: 350 cd/m². Operating system installed: Android, Processor architecture: ARM Cortex A73 + ARM Cortex A53, Processor frequency: 1.5 GHz. Speaker power: 24 W, Subwoofer RMS power: 16 W. Ethernet LAN data rates: 10,100 Mbit/s. Interface: HDMI, USB connector type: USB Type-A, USB Type-B, USB Power Delivery up to: 65 W



| Display                            |                                 | Ports & interfaces                |                                                                                                                                                                                                                                                                         |
|------------------------------------|---------------------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display diagonal *                 | 165.1 cm (65")                  | HDMI output ports quantity        | 1                                                                                                                                                                                                                                                                       |
| Display brightness                 | 350 cd/m²                       | USB Power Delivery (USB PD)       | ✓                                                                                                                                                                                                                                                                       |
| Display number of colours          | 1.07 billion colours            | USB Power Delivery up to          | 65 W                                                                                                                                                                                                                                                                    |
| Display resolution                 | 3840 x 2160 pixels              | Ethernet LAN (RJ-45) ports        | 1                                                                                                                                                                                                                                                                       |
| Anti-glare screen                  | ✓                               | OPS slot                          | 1                                                                                                                                                                                                                                                                       |
| HD type                            | 4K Ultra HD                     | S/PDIF out port                   | ✓                                                                                                                                                                                                                                                                       |
| Panel type                         | LCD                             | Headphone connectivity            | 3.5 mm                                                                                                                                                                                                                                                                  |
| LED backlighting type              | Direct-LED                      | RS-232 ports                      | 1                                                                                                                                                                                                                                                                       |
| Native aspect ratio                | 16:9                            | Ergonomics                        |                                                                                                                                                                                                                                                                         |
| Contrast ratio (typical)           | 1200:1                          | Product colour                    | Black                                                                                                                                                                                                                                                                   |
| Contrast ratio (dynamic)           | 5000:1                          | VESA mounting                     | ✓                                                                                                                                                                                                                                                                       |
| Response time                      | 8 ms                            | Panel mounting interface          | 400 x 200 mm                                                                                                                                                                                                                                                            |
| Touchscreen *                      | ✓                               | Mean time between failures (MTBF) | 30000 h                                                                                                                                                                                                                                                                 |
| Touch technology                   | Multi-touch                     | Certification                     | cTUVus, FCC/ICES003, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT, Mexico NOM , Mexico Energy, UKCA, UK-EEL, BSMI, BIS, LBL( Low Blue Light Certification), Flicker Free, Green BOM, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH , Packing waste, CA65, PAIA |
| Touchscreen type                   | Infrared                        |                                   |                                                                                                                                                                                                                                                                         |
| Number of simultaneous touchpoints | 40                              |                                   |                                                                                                                                                                                                                                                                         |
| Touch resolution                   | 32767 x 32767 pixels            |                                   |                                                                                                                                                                                                                                                                         |
| Touch system response time         | 10 ms                           |                                   |                                                                                                                                                                                                                                                                         |
| Viewing angle, horizontal          | 178°                            | Power                             |                                                                                                                                                                                                                                                                         |
| Viewing angle, vertical            | 178°                            | Power consumption (typical)       | 89 W                                                                                                                                                                                                                                                                    |
| Working area *                     | 1209.6 x 680.4 mm               | Power consumption (off)           | 0.5 W                                                                                                                                                                                                                                                                   |
| Hardness                           | 7H                              | AC input voltage                  | 100 - 240 V                                                                                                                                                                                                                                                             |
| Computer system                    |                                 | Operational conditions            |                                                                                                                                                                                                                                                                         |
| Operating system installed         | Android                         | Operating temperature (T-T)       | 0 - 40 °C                                                                                                                                                                                                                                                               |
| Operating system version           | 11                              | Operating relative humidity (H-H) | 10 - 90%                                                                                                                                                                                                                                                                |
| Built-in processor                 | ✓                               | Weight & dimensions               |                                                                                                                                                                                                                                                                         |
| Processor architecture             | ARM Cortex A73 + ARM Cortex A53 | Width *                           | 1268 mm                                                                                                                                                                                                                                                                 |
| Processor frequency                | 1.5 GHz                         | Depth                             | 85 mm                                                                                                                                                                                                                                                                   |
| Processor cores                    | 8                               | Height *                          | 773 mm                                                                                                                                                                                                                                                                  |
| Maximum internal memory            | 32 GB                           |                                   |                                                                                                                                                                                                                                                                         |
| RAM capacity                       | 3 GB                            |                                   |                                                                                                                                                                                                                                                                         |

| Computer system                                     |                        | Weight & dimensions              |               |
|-----------------------------------------------------|------------------------|----------------------------------|---------------|
| RAM type                                            | DDR4                   | Weight                           | 37 kg         |
| Audio                                               |                        | Packaging data                   |               |
| Built-in speaker(s) *                               | ✓                      | Package width                    | 1628 mm       |
| Number of built-in speakers                         | 2                      | Package depth                    | 208 mm        |
| Speaker power                                       | 24 W                   | Package height                   | 1005 mm       |
| Built-in subwoofer                                  | ✓                      | Package weight                   | 43.2 kg       |
| Subwoofer RMS power                                 | 16 W                   | Quantity per pack                | 1 pc(s)       |
| Projector                                           |                        | Packaging content                |               |
| Built-in projector *                                | ✗                      | USB cable length                 | 3 m           |
| Network                                             |                        | Cables included                  | AC, HDMI, USB |
| Ethernet LAN                                        | ✓                      | Remote control included          | ✓             |
| Ethernet LAN data rates                             | 10,100 Mbit/s          | Mounting kit                     | ✓             |
| Ports & interfaces                                  |                        | Batteries included               | ✓             |
| Interface                                           | HDMI                   | Mounting brackets included       | ✓             |
| HDCP                                                | ✓                      | Quick start guide                | ✓             |
| HDCP version                                        | 2.2                    | Stylus included                  | ✓             |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity | 4                      | Other features                   |               |
| USB 2.0 ports quantity                              | 2                      | Country of origin                | China         |
| USB connector type                                  | USB Type-A, USB Type-B | Logistics data                   |               |
| HDMI ports quantity                                 | 3                      | Pallet gross width               | 168 cm        |
| USB Type-C ports quantity                           | 1                      | Pallet gross length              | 105 cm        |
| HDMI version                                        | 2.0                    | Pallet gross height              | 113.1 cm      |
|                                                     |                        | Products per master (outer) case | 1 pc(s)       |



0766907024661



766907024661

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.