

Viewsonic IFP7552-2ED - 75" Android EDLA-Certified ViewBoard Interactive Display

Brand : Viewsonic

Product code: IFP7552-2ED

Product name : IFP7552-2ED - 75" Android EDLA-Certified ViewBoard Interactive Display



- Android™ EDLA (Enterprise Devices Licensing Agreement) certification
- Advanced Security with Google Workspace
- Full Access to Google Play Store
- Hassle-free Maintenance and Updates
- Intuitive and Ultra-Responsive Touchscreen

74.5", 3840 x 2160, 16:9, DLED, LAN, Android 13 EDLA-Certified, HDMI, USB, RS-232, S/PDIF, 1724.96 x 1073.96 x 121.37 mm

Viewsonic IFP7552-2ED - 75" Android EDLA-Certified ViewBoard Interactive Display. Display diagonal: 189.2 cm (74.5"), Display brightness: 400 cd/m², Display resolution: 3840 x 2160 pixels. Operating system installed: Android, Processor architecture: ARM Cortex-A73, User memory: 64 GB. Speaker power: 15 W, Subwoofer RMS power: 15 W. Ethernet LAN data rates: 10,100,1000 Mbit/s. Interface: HDMI, USB connector type: USB Type-A, USB Type-B, USB Power Delivery up to: 100 W

Display		Ports & interfaces	
Display diagonal *	189.2 cm (74.5")	USB Type-C ports quantity	2
Display brightness	400 cd/m²	HDMI version	2.0
Display resolution	3840 x 2160 pixels	HDMI output ports quantity	1
Anti-glare screen	✓	USB Power Delivery (USB PD)	✓
HD type	4K Ultra HD	USB Power Delivery up to	100 W
Panel type	LCD	Ethernet LAN (RJ-45) ports	1
LED backlight	✓	VGA (D-Sub) ports quantity	1
LED backlighting type	Direct-LED	RS-232 ports	1
Native aspect ratio	16:9	Ergonomics	
Contrast ratio (typical)	6000:1	Product colour	Black
Contrast ratio (dynamic)	5000:1	VESA mounting	✓
Response time	6.5 ms	Panel mounting interface	600 x 400 mm
Maximum refresh rate	60 Hz	Certification	EDLA
Touchscreen *	✓	Power	
Touch technology	Multi-touch	Power consumption (typical)	124.1 W
Touchscreen type	Infrared	Power consumption (standby)	0.5 W
Number of simultaneous touchpoints	33	AC input voltage	100 - 240 V
Touch object size (min)	2.5 mm	System requirements	
Viewing angle, horizontal	178°	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Viewing angle, vertical	178°	Mac compatibility	✓
Screen glass thickness	3.2 mm	Mac operating systems supported	Mac OS X 10.8 Mountain Lion, Mac OS X 11.0 Big Sur, Mac OS X 10.9 Mavericks, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Hardness	9H	Linux operating systems supported	Kernel 4.6.4, Linux Kernel 5.10, Linux Kernel 5.11, Linux Kernel 5.13, Linux Kernel 5.12, Linux Kernel 5.14, Linux Kernel 5.15, Linux Kernel 5.19, Linux Kernel 5.4, Linux Kernel 5.8, Linux Kernel 5.9, Linux Kernel 6.2, Linux Kernel 6.5
Technology	Infrared (IR)	Operational conditions	
Computer system		Operating temperature (T-T)	0 - 40 °C
Operating system installed	Android	Operating relative humidity (H-H)	20 - 80%
Operating system version	13		
Built-in processor	✓		
Processor architecture	ARM Cortex-A73		
Processor cores	4		
User memory	64 GB		
RAM capacity	8 GB		
RAM type	LPDDR4		
Audio			
Built-in speaker(s) *	✓		
Number of built-in speakers	3		

Audio		Weight & dimensions	
Speaker power	15 W	Width *	1725 mm
Built-in subwoofer	✓	Depth	121.4 mm
Subwoofer RMS power	15 W	Height *	1074 mm
Built-in microphone	✓	Weight	55 kg
Number of microphone arrays	8	Packaging data	
Projector		Package width	1850 mm
Built-in projector *	✗	Package depth	225 mm
Network		Package height	1160 mm
Ethernet LAN	✓	Package weight	66 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Quantity per pack	1 pc(s)
Ports & interfaces		Packaging content	
Interface	HDMI	Cables included	AC, AV, HDMI, USB, RS-232
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Remote control included	✓
USB 2.0 ports quantity	5	Mounting kit	✓
USB connector type	USB Type-A, USB Type-B	Batteries included	✓
HDMI ports quantity	4	Quick start guide	✓
		Stylus included	✓
		Number of stylus pens	2
		Sustainability	
		Sustainability certificates	ENERGY STAR, Mexico Energy, EPEAT Silver, ErP
		Compliance certificates	TÜV mark, Federal Communications Commission (FCC), RoHS, WEEE, CE, CB, BIS
		Other features	
		Warranty period	3 year(s)



766907025088

Catalog Object Cloud