

Viewsonic IFP75G1 interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Black HDMI

Brand : Viewsonic

Product code: IFP75G1


Product name : IFP75G1

- Bring Your Own OS interactive flat panel for versatile use in any scenario
 - Seamless USB-C plug-and-play connectivity for convenient presentations
 - 65W charging of peripheral devices, ensuring uninterrupted presentations
 - Flexible integration with slot-in PCs, supporting Windows, Linux, and Android OS
 55" TFT LCD, Touch, DLED, UHD, 16:9, 1.07B, 350 cd/m², 1200:1, 8ms, 178/178, 12W x2 + 16W, Wi-Fi, RJ45, HDMI, SPDIF, RS232, USB, 100-240 VAC, VESA, 26.4 kg
 Viewsonic IFP75G1. Display diagonal: 190.5 cm (75"), Working area: 1209.6 x 680.4 mm, Display brightness: 350 cd/m². Operating system installed: Android, Processor architecture: ARM Cortex A73 + ARM Cortex A53, Processor frequency: 1.5 GHz. Speaker power: 24 W, Subwoofer RMS power: 16 W. Ethernet LAN data rates: 10,100 Mbit/s. Interface: HDMI, USB connector type: USB Type-A, USB Type-B, USB Power Delivery up to: 65 W



Display		Ports & interfaces	
Display diagonal *	190.5 cm (75")	HDMI output ports quantity	1
Display brightness	350 cd/m²	USB Power Delivery (USB PD)	✓
Display number of colours	1.07 billion colours	USB Power Delivery up to	65 W
Display resolution	3840 x 2160 pixels	Ethernet LAN (RJ-45) ports	1
Anti-glare screen	✓	OPS slot	1
HD type	4K Ultra HD	S/PDIF out port	✓
Panel type	LCD	Headphone connectivity	3.5 mm
LED backlighting type	Direct-LED	RS-232 ports	1
Native aspect ratio	16:9	Ergonomics	
Contrast ratio (typical)	1200:1	Product colour	Black
Contrast ratio (dynamic)	5000:1	VESA mounting	✓
Response time	8 ms	Panel mounting interface	400 x 200 mm
Touchscreen *	✓	Mean time between failures (MTBF)	30000 h
Touch technology	Multi-touch	Certification	cTUVus, FCC/ICES003, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT, Mexico NOM , Mexico Energy, UKCA, UK-EEL, BSMI, BIS, LBL(Low Blue Light Certification), Flicker Free, Green BOM, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH , Packing waste, CA65, PAIA
Touchscreen type	Infrared		
Number of simultaneous touchpoints	40		
Touch resolution	32767 x 32767 pixels		
Touch system response time	10 ms		
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical)	89 W
Working area *	1209.6 x 680.4 mm	Power consumption (off)	0.5 W
Hardness	7H	AC input voltage	100 - 240 V
Computer system		Operational conditions	
Operating system installed	Android	Operating temperature (T-T)	0 - 40 °C
Operating system version	11	Operating relative humidity (H-H)	10 - 90%
Built-in processor	✓	Weight & dimensions	
Processor architecture	ARM Cortex A73 + ARM Cortex A53	Width *	1268 mm
Processor frequency	1.5 GHz	Depth	85 mm
Processor cores	8	Height *	773 mm
Maximum internal memory	32 GB		
RAM capacity	3 GB		

Computer system		Weight & dimensions	
RAM type	DDR4	Weight	49.6 kg
Audio		Packaging data	
Built-in speaker(s) *	✓	Package width	1863 mm
Number of built-in speakers	2	Package depth	225 mm
Speaker power	24 W	Package height	1140 mm
Built-in subwoofer	✓	Package weight	60 kg
Subwoofer RMS power	16 W	Quantity per pack	1 pc(s)
Projector		Packaging content	
Built-in projector *	✗	USB cable length	3 m
Network		Cables included	AC, HDMI, USB
Ethernet LAN	✓	Remote control included	✓
Ethernet LAN data rates	10,100 Mbit/s	Mounting kit	✓
Ports & interfaces		Batteries included	✓
Interface	HDMI	Mounting brackets included	✓
HDCP	✓	Quick start guide	✓
HDCP version	2.2	Stylus included	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	4	Other features	
USB 2.0 ports quantity	2	Country of origin	China
USB connector type	USB Type-A, USB Type-B	Logistics data	
HDMI ports quantity	3	Pallet gross width	195 cm
USB Type-C ports quantity	1	Pallet gross length	114 cm
HDMI version	2.0	Pallet gross height	126.6 cm
		Products per master (outer) case	1 pc(s)



0766907024678



766907024678



5715328265875

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.