



## DELL Pro Max 16 MC16250 Intel Core Ultra 7 265H Mobile workstation 40.6 cm (16") Full HD+ 32 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX PRO 1000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro Black US English



**Brand :** DELL

**Product family:** Pro Max

**Product code:** C9NVT

**Product name :** MC16250

- Windows 11 Pro 64-bit  
- Intel Core Ultra 7 265H (24MB Cache)  
- 16" Full HD+ 1920 x 1200 WVA, NVIDIA RTX PRO 1000 Blackwell (8GB GDDR7)  
- 32GB DDR5-SDRAM (2 x 16) & 512GB SSD  
Intel Core Ultra 7 265H (24MB Cache), 32GB DDR5-SDRAM, 512GB SSD, 16" Full HD+ 1920 x 1200 WVA, Intel Arc 140T, NVIDIA RTX PRO 1000 Blackwell (8GB GDDR7), LAN, WLAN, Webcam, Windows 11 Pro 64-bit


DELL Pro Max 16 MC16250 Intel Core Ultra 7 265H Mobile workstation 40.6 cm (16") Full HD+ 32 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX PRO 1000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro Black US English:

Dell Pro Max 16 laptop merges exceptional performance with a large display. Designed for power users and light design applications in the office or on the go.

| Design                               |                             | Camera                                            |                                                                                                           |
|--------------------------------------|-----------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Product type *                       | Mobile workstation          | Front camera resolution                           | 1920 x 1080 pixels                                                                                        |
| Product colour *                     | Black                       | Front camera HD type                              | Full HD                                                                                                   |
| Form factor *                        | Clamshell                   | Video capturing speed                             | 30 fps                                                                                                    |
| Market positioning                   | Business                    | Infrared (IR) camera                              | ✓                                                                                                         |
| Intel® vPro™ Platform Eligibility    | ✓                           | Privacy camera                                    | ✓                                                                                                         |
| Display                              |                             | Privacy type                                      | Privacy shutter                                                                                           |
| Display diagonal *                   | 40.6 cm (16")               | Network                                           |                                                                                                           |
| Display resolution *                 | 1920 x 1200 pixels          | Top Wi-Fi standard *                              | Wi-Fi 7 (802.11be)                                                                                        |
| Touchscreen *                        | ✗                           | Wi-Fi standards                                   | 802.11a, 802.11b, Wi-Fi 4 (802.11n), 802.11g, Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) |
| HD type                              | Full HD+                    |                                                   |                                                                                                           |
| Panel type                           | WVA                         | Mobile network connection *                       | ✗                                                                                                         |
| Native aspect ratio                  | 16:10                       | Wi-Fi band                                        | Tri-band (2.4 GHz / 5 GHz / 6 GHz)                                                                        |
| Anti-glare screen                    | ✓                           | Antenna type                                      | 2x2                                                                                                       |
| Display brightness                   | 300 cd/m²                   | WLAN controller model                             | Intel Wi-Fi 7 BE201                                                                                       |
| Pixel density                        | 142 ppi                     | WLAN controller manufacturer                      | Intel                                                                                                     |
| RGB colour space                     | NTSC                        | Ethernet LAN                                      | ✓                                                                                                         |
| Colour gamut                         | 45%                         | Ethernet LAN data rates                           | 10,100,1000 Mbit/s                                                                                        |
| Maximum refresh rate                 | 60 Hz                       | Bluetooth                                         | ✓                                                                                                         |
| Contrast ratio (typical)             | 1000:1                      | Ports & interfaces                                |                                                                                                           |
| Processor                            |                             | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2                                                                                                         |
| Processor manufacturer *             | Intel                       | Ethernet LAN (RJ-45) ports                        | 1                                                                                                         |
| Processor family *                   | Intel Core Ultra 7          | HDMI ports quantity *                             | 1                                                                                                         |
| Processor generation                 | Intel Core Ultra (Series 2) | HDMI version                                      | 2.1                                                                                                       |
| Processor model *                    | 265H                        | Thunderbolt 4 ports quantity                      | 2                                                                                                         |
| Processor cores                      | 16                          | Intel® Thunderbolt 4                              | ✓                                                                                                         |
| Processor threads                    | 16                          | Combo headphone/mic port                          | ✓                                                                                                         |
| Processor boost frequency            | 5.3 GHz                     | USB Type-C DisplayPort Alternate Mode             | ✓                                                                                                         |
| Performance cores                    | 6                           | PowerShare                                        | ✓                                                                                                         |
| Efficient cores                      | 8                           |                                                   |                                                                                                           |
| Low Power Efficient-cores            | 2                           |                                                   |                                                                                                           |
| Performance-core Max Turbo Frequency | 5.3 GHz                     |                                                   |                                                                                                           |

| Processor                                    |                                                | Performance                                |                                                            |
|----------------------------------------------|------------------------------------------------|--------------------------------------------|------------------------------------------------------------|
| Efficient-core Max Turbo Frequency           | 4.5 GHz                                        | Motherboard chipset                        | Intel SoC                                                  |
| Low Power Efficient-core Max Turbo Frequency | 2.5 GHz                                        | Accelerometer                              | ✓                                                          |
| Performance-core base frequency              | 2.2 GHz                                        | Hall sensor                                | ✓                                                          |
| Efficient-core base frequency                | 1.7 GHz                                        | Keyboard                                   |                                                            |
| Low Power Efficient-core Base Frequency      | 700 MHz                                        | Pointing device                            | Touchpad                                                   |
| Processor cache                              | 24 MB                                          | Numeric keypad *                           | ✓                                                          |
| Processor cache type                         | Smart Cache                                    | Keyboard backlit                           | ✓                                                          |
| Processor socket                             | BGA 2049                                       | Keyboard language                          | US English                                                 |
| Processor base power                         | 28 W                                           | Copilot key                                | ✓                                                          |
| Maximum turbo power                          | 115 W                                          | Software                                   |                                                            |
| Neural processor unit (NPU)                  |                                                | Operating system architecture              | 64-bit                                                     |
| Neural processor unit (NPU)                  | Intel AI Boost                                 | Trial software                             | Activate Your Microsoft 365 For A 30 Day Trial             |
| Sparsity support                             | ✓                                              | Operating system installed *               | Windows 11 Pro                                             |
| Windows Studio effects support               | ✓                                              | Brand-specific features                    |                                                            |
| AI software frameworks supported by NPU      | DirectML, OpenVINO, Windows ML, ONNX RT, WebNN | Brand specific technologies                | Express Charge Boost capable, Control Vault 3+, HDR Camera |
| Total processor performance up to            | 97 TOPs                                        | Battery                                    |                                                            |
| NPU performance up to                        | 13 TOPs                                        | Battery technology                         | Lithium Polymer (LiPo)                                     |
| GPU performance up to                        | 75 TOPs                                        | Number of battery cells                    | 6                                                          |
| Memory                                       |                                                | Battery capacity *                         | 96 Wh                                                      |
| Internal memory *                            | 32 GB                                          | Battery voltage                            | 11.7 V                                                     |
| Internal memory type                         | DDR5-SDRAM                                     | Battery recharge time                      | 3 h                                                        |
| Memory form factor                           | SO-DIMM                                        | Fast charging                              | ✓                                                          |
| Memory layout (slots x size)                 | 2 x 16 GB                                      | Battery weight                             | 351 g                                                      |
| Memory slots                                 | 2x SO-DIMM                                     | Power                                      |                                                            |
| Maximum internal memory *                    | 64 GB                                          | AC adapter power                           | 130 W                                                      |
| Memory channels                              | Dual-channel                                   | AC adapter frequency                       | 50/60 Hz                                                   |
| Memory data transfer rate                    | 5600 MT/s                                      | AC adapter input voltage                   | 100 - 240 V                                                |
| Non-ECC                                      | ✓                                              | USB Type-C charging port *                 | ✓                                                          |
| Storage                                      |                                                | USB Type-C required charging power (min) * | 45 W                                                       |
| Total storage capacity *                     | 512 GB                                         | USB Type-C required charging power (max) * | 96 W                                                       |
| Storage media *                              | SSD                                            | USB Power Delivery (USB PD)                | ✓                                                          |
| Total SSDs capacity                          | 512 GB                                         | USB charging voltage                       | 20,5,9,15 V                                                |
| Number of SSDs installed                     | 1                                              | Security                                   |                                                            |
| SSD capacity                                 | 512 GB                                         | Cable lock slot                            | ✓                                                          |
| SSD interface                                | PCI Express 4.0                                | Cable lock slot type                       | Wedge                                                      |
| NVMe                                         | ✓                                              | Fingerprint reader                         | ✓                                                          |
| SSD form factor                              | M.2                                            | Trusted Platform Module (TPM)              | ✓                                                          |
| SSD performance class                        | 35                                             | Trusted Platform Module (TPM) version      | 2.0                                                        |
| M.2 SSD size                                 | 2230 (22 x 30 mm)                              | Operational conditions                     |                                                            |
| Optical drive type *                         | ✗                                              | Operating temperature (T-T)                | 0 - 35 °C                                                  |
| Card reader integrated                       | ✓                                              | Storage temperature (T-T)                  | -40 - 65 °C                                                |
| Compatible memory cards                      | MicroSD (TransFlash), MicroSDHC, MicroSDXC     | Operating relative humidity (H-H)          | 10 - 90%                                                   |
| Graphics                                     |                                                | Storage relative humidity (H-H)            | 0 - 95%                                                    |
| Discrete GPU manufacturer                    | NVIDIA                                         | Operating altitude                         | -15.2 - 3048 m                                             |
| Discrete graphics card model *               | NVIDIA RTX PRO 1000 Blackwell                  | Non-operating altitude                     | -15.2 - 10668 m                                            |
| Discrete graphics card memory                | 8 GB                                           | Operating shock                            | 110 G                                                      |
| Discrete graphics memory type                | GDDR7                                          | Non-operating shock                        | 160 G                                                      |
| On-board graphics card *                     | ✓                                              | Operating vibration                        | 0.66 G                                                     |
| On-board GPU manufacturer                    | Intel                                          | Non-operating vibration                    | 1.3 G                                                      |
| Discrete graphics card *                     | ✓                                              | Sustainability                             |                                                            |
| On-board graphics card family                | Intel Arc Graphics                             | Sustainability certificates                | ENERGY STAR, EPEAT Gold                                    |
| On-board graphics card model *               | Intel Arc 140T                                 |                                            |                                                            |
| Audio                                        |                                                |                                            |                                                            |
| Audio chip                                   | Realtek ALC3329                                |                                            |                                                            |

| Audio                             |               | Weight & dimensions                          |                      |
|-----------------------------------|---------------|----------------------------------------------|----------------------|
| Audio system                      | MaxxAudio Pro | Width                                        | 358 mm               |
| Number of built-in speakers       | 2             | Depth                                        | 256 mm               |
| Speakers manufacturer             | Waves         | Height (front)                               | 1.51 cm              |
| Speaker power                     | 2.5 W         | Height (rear)                                | 1.91 cm              |
| Built-in microphone               | ✓             | Weight *                                     | 2.1 kg               |
| Number of microphones             | 2             | Carbon footprint                             |                      |
| Camera                            |               | Total carbon footprint (kg of CO2e)          | 118                  |
| Front camera                      | ✓             | Carbon emissions, manufacturing (kg of CO2e) | 85.2                 |
| Front camera resolution (numeric) | 2.07 MP       | Carbon emissions, logistics (kg of CO2e)     | 6.14                 |
|                                   |               | Carbon emissions, energy usage (kg of CO2e)  | 25.49                |
|                                   |               | Carbon emissions, end-of-life (kg of CO2e)   | 1.3                  |
|                                   |               | PAIA version                                 | GaBi version 1, 2024 |
|                                   |               | Packaging content                            |                      |
|                                   |               | AC adapter included *                        | ✓                    |



0884116488125



884116488125

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.