



## DELL Pro Plus P2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver

**Brand :** DELL

**Product family:** Pro Plus

**Product code:** DELL-P2725QE

**Product name :** P2725QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS

- 8ms, 16:9, 350cd/m<sup>2</sup>, 1500:1

- USB, HDMI, DisplayPort

68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 350cd/m<sup>2</sup>, 1.07B, 8ms, 178°/178°, 1500:1

DELL Pro Plus P2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver:

Stay productive with this 27-inch 4K monitor featuring extensive connectivity and certified by TÜV for 4 star eye comfort.

DELL Pro Plus P2725QE. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver




| Display                        |                                                                                                                                                                                         | Ergonomics                                |               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|
| Display diagonal *             | 68.6 cm (27")                                                                                                                                                                           | Cable management                          | ✓             |
| Display resolution *           | 3840 x 2160 pixels                                                                                                                                                                      | Cable lock slot *                         | ✓             |
| HD type *                      | 4K Ultra HD                                                                                                                                                                             | Cable lock slot type                      | Kensington    |
| Native aspect ratio *          | 16:9                                                                                                                                                                                    | Height adjustment *                       | ✓             |
| Display technology *           | LCD                                                                                                                                                                                     | Adjustable height (max)                   | 15 cm         |
| Panel type *                   | IPS                                                                                                                                                                                     | Pivot                                     | ✓             |
| LED backlight                  | ✓                                                                                                                                                                                       | Pivot angle                               | -90 - 90°     |
| Backlight type                 | Edge LED                                                                                                                                                                                | Swivelling                                | ✓             |
| Touchscreen *                  | ✗                                                                                                                                                                                       | Swivel angle range                        | -45 - 45°     |
| Display brightness (typical)   | 350 cd/m <sup>2</sup>                                                                                                                                                                   | Tilt adjustment                           | ✓             |
| Response time *                | 8 ms                                                                                                                                                                                    | Tilt angle range                          | -5 - 21°      |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                                                      | On Screen Display (OSD)                   | ✓             |
| Anti-glare screen              | ✓                                                                                                                                                                                       | Plug and Play                             | ✓             |
| Screen shape *                 | Flat                                                                                                                                                                                    | LED indicators                            | ✓             |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 | Power                                     |               |
|                                |                                                                                                                                                                                         | Energy efficiency class (SDR) *           | F             |
|                                |                                                                                                                                                                                         | Energy efficiency class (HDR) *           | Not available |
|                                |                                                                                                                                                                                         | Energy consumption (SDR) per 1000 hours * | 26 kWh        |
|                                |                                                                                                                                                                                         | Power consumption (typical) *             | 19.6 W        |
| Supported video modes          | 480p, 576p, 720p, 1080p, 2160p                                                                                                                                                          | Power consumption (standby) *             | 0.3 W         |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                                                                  | Power consumption (max)                   | 200 W         |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                                                  | Power consumption (off)                   | 0.3 W         |
| Viewing angle, horizontal      | 178°                                                                                                                                                                                    | AC input voltage                          | 100 - 240 V   |
| Viewing angle, vertical        | 178°                                                                                                                                                                                    | AC input frequency                        | 50/60 Hz      |
| Display number of colours *    | 1.07 billion colours                                                                                                                                                                    | Power supply type                         | Internal      |
| Response time (fast)           | 5 ms                                                                                                                                                                                    | Energy efficiency scale                   | A to G        |
| Pixel pitch                    | 0.1554 x 0.1554 mm                                                                                                                                                                      | Operational conditions                    |               |
| Pixel density                  | 163 ppi                                                                                                                                                                                 | Operating temperature (T-T)               | 0 - 40 °C     |
| Viewable size, horizontal      | 59.7 cm                                                                                                                                                                                 | Storage temperature (T-T)                 | -20 - 60 °C   |
| Viewable size, vertical        | 33.6 cm                                                                                                                                                                                 |                                           |               |
| Digital horizontal frequency   | 30 - 227 kHz                                                                                                                                                                            |                                           |               |
| Digital vertical frequency     | 48 - 100 Hz                                                                                                                                                                             |                                           |               |

| Display                                      |                       | Operational conditions                       |                                                                     |
|----------------------------------------------|-----------------------|----------------------------------------------|---------------------------------------------------------------------|
| High Dynamic Range (HDR) supported           | ✗                     | Operating relative humidity (H-H)            | 10 - 80%                                                            |
| Surface hardness                             | 3H                    | Storage relative humidity (H-H)              | 5 - 90%                                                             |
| sRGB coverage (typical)                      | 99%                   | Operating altitude                           | 0 - 5000 m                                                          |
|                                              |                       | Non-operating altitude                       | 5000 - 12191 m                                                      |
| Performance                                  |                       | Weight & dimensions                          |                                                                     |
| NVIDIA G-SYNC *                              | ✗                     | Width (with stand)                           | 612.5 mm                                                            |
| AMD FreeSync *                               | ✗                     | Depth (with stand)                           | 192.2 mm                                                            |
| Flicker-free technology                      | ✓                     | Height (with stand)                          | 535.7 mm                                                            |
| Low Blue Light technology                    | ✓                     | Weight (with stand)                          | 6.23 kg                                                             |
|                                              |                       | Width (without stand)                        | 612.5 mm                                                            |
|                                              |                       | Depth (without stand)                        | 50 mm                                                               |
|                                              |                       | Height (without stand)                       | 356.6 mm                                                            |
|                                              |                       | Weight (without stand)                       | 4.62 kg                                                             |
|                                              |                       | Bezel width (side)                           | 7.88 mm                                                             |
|                                              |                       | Bezel width (top)                            | 7.88 mm                                                             |
|                                              |                       | Bezel width (bottom)                         | 1.3 cm                                                              |
| Multimedia                                   |                       | Packaging data                               |                                                                     |
| Built-in speaker(s) *                        | ✗                     | Package weight                               | 9.02 kg                                                             |
| Built-in camera *                            | ✗                     |                                              |                                                                     |
| Design                                       |                       | Packaging content                            |                                                                     |
| Market positioning *                         | Office                | Stand included                               | ✓                                                                   |
| Product colour *                             | Black, Silver         | Cables included                              | AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C |
| Front bezel colour                           | Black                 | Power adapter included                       | ✗                                                                   |
| Detachable stand                             | ✓                     | Remote control included                      | ✗                                                                   |
| Feet colour                                  | Silver                | Stylus included                              | ✗                                                                   |
| Ports & interfaces                           |                       | Sustainability                               |                                                                     |
| Built-in USB hub *                           | ✓                     | Sustainability certificates                  | ENERGY STAR, TCO                                                    |
| USB hub version                              | 3.2 Gen 1 (3.1 Gen 1) | Doesn't contain                              | Arsenic, Mercury, PVC/BFR                                           |
| USB upstream port type                       | USB Type-C            |                                              |                                                                     |
| Number of USB Type-C upstream ports quantity | 1                     |                                              |                                                                     |
| USB Type-A downstream ports quantity         | 3                     |                                              |                                                                     |
| USB Type-C downstream ports quantity         | 1                     |                                              |                                                                     |
| USB Type-C DisplayPort Alternate Mode        | ✓                     |                                              |                                                                     |
| USB Power Delivery (USB PD)                  | ✓                     |                                              |                                                                     |
| USB Power Delivery up to                     | 90 W                  |                                              |                                                                     |
| HDMI *                                       | ✓                     |                                              |                                                                     |
| HDMI ports quantity                          | 1                     |                                              |                                                                     |
| HDMI version                                 | 2.1                   |                                              |                                                                     |
| DisplayPorts quantity                        | 1                     |                                              |                                                                     |
| DisplayPort version                          | 1.4                   |                                              |                                                                     |
| Headphone out *                              | ✗                     |                                              |                                                                     |
| HDCP                                         | ✓                     |                                              |                                                                     |
| HDCP version                                 | 2.3                   |                                              |                                                                     |
| Network                                      |                       | Carbon footprint                             |                                                                     |
| Wi-Fi                                        | ✗                     | Total carbon footprint (kg of CO2e)          | 265                                                                 |
| Ethernet LAN                                 | ✓                     | Carbon emissions, manufacturing (kg of CO2e) | 117.4                                                               |
|                                              |                       | Carbon emissions, logistics (kg of CO2e)     | 16.96                                                               |
|                                              |                       | Carbon emissions, energy usage (kg of CO2e)  | 124.29                                                              |
|                                              |                       | Carbon emissions, end-of-life (kg of CO2e)   | 6.1                                                                 |
|                                              |                       | PAIA version                                 | GaBi version 1, 2024                                                |
| Ergonomics                                   |                       | Other features                               |                                                                     |
| VESA mounting *                              | ✓                     | RJ-45 ports quantity                         | 1                                                                   |
| Panel mounting interface                     | 100 x 100 mm          | Packaging content                            | 1 x USB-C to C 10Gbps, 100W cable -1.00 m                           |
| Wall mountable                               | ✓                     | Compliance certificates                      | RoHS                                                                |



5397184962497



0884116487524



884116487524



5715328205512



5715328115958

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.