

ASUS ProArt PA248QV computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LED Black

Brand : ASUS

Product family: ProArt

Product code: 90LM05K0-B013B0

Product name : PA248QV

- 24.1-inch 16:10 WUXGA (1920 x 1200) IPS display with frameless design
 - International color standard 100% sRGB and 100% Rec. 709 wide color gamut
 - Calman Verified with factory pre-calibrated for excellent color accuracy ($\Delta E < 2$)
 - ASUS exclusive ProArt Preset and ProArt Palette provides several adjustable color parameters and preset modes
 - Extensive connectivity with DisplayPort, HDMI, D-sub, Audio in, Earphone jack plus four USB 3.0 ports for the most flexibility
 - VESA wall-mountable and ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
- 24.1", 16:10, 1920x1200, IPS, RMS 2x 2W, HDMI, VGA, DP, 3.5mm, 4x USB 3.0, 533x375-505x211 mm, black



Display		Ports & interfaces	
Display diagonal *	61.2 cm (24.1")	Audio input	✓
Display resolution *	1920 x 1200 pixels	Headphone out *	✓
HD type *	WUXGA	Headphone outputs	1
Native aspect ratio *	16:10	Headphone connectivity	3.5 mm
Display technology *	LED	HDCP	✓
Panel type *	IPS	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	300 cd/m²	Panel mounting interface	100 x 100 mm
Response time *	5 ms	Cable lock slot *	✓
Display surface	Matt	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 720 x 576, 800 x 600 (SVGA), 832 x 624, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Adjustable height (max)	13 cm
		Pivot	✓
		Pivot angle	-90 - 90°
Supported video modes	480p, 576p, 720p, 1080p	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-90 - 90°
Contrast ratio (dynamic)	100000000:1	Tilt adjustment	✓
Dynamic contrast ratio marketing name	SmartContrast	Tilt angle range	-5 - 35°
Maximum refresh rate *	75 Hz	On Screen Display (OSD)	✓
Viewing angle, horizontal	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, French, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Thai, Turkish
Viewing angle, vertical	178°		
Display number of colours *	16.78 million colours		
Pixel pitch	0.27 x 0.27 mm	Number of OSD languages	21
Viewable size, horizontal	51.8 cm	LED indicators	✓

Display		Power	
Viewable size, vertical	32.4 cm	Energy efficiency class (SDR) *	G
Viewable size diagonal	61.1 cm	Energy consumption (SDR) per 1000 hours *	28 kWh
Digital horizontal frequency	30 - 105 kHz	Power consumption (typical) *	28.2 W
Digital vertical frequency	49 - 75 Hz	Power consumption (standby) *	0.5 W
Colour gamut standard	sRGB	Power consumption (off)	0.3 W
sRGB coverage (typical)	100%	AC input voltage	100 - 240 V
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	Operational conditions	
AMD FreeSync *	✗	Operating temperature (T-T)	0 - 40 °C
VESA Adaptive Sync support	✓	Storage temperature (T-T)	-20 - 60 °C
Flicker-free technology	✓	Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	533 mm
Multimedia		Depth (with stand)	211 mm
Number of speakers	2	Height (with stand)	505 mm
RMS rated power	4 W	Weight (with stand)	6.1 kg
Built-in speaker(s) *	✓	Width (without stand)	533 mm
Built-in camera *	✗	Depth (without stand)	47 mm
Design		Height (without stand)	360 mm
Market positioning *	Graphics design	Weight (without stand)	3.9 kg
Product colour *	Black	Packaging data	
Frameless design	✓	Package width	649 mm
Feet colour	Black	Package depth	192 mm
Ports & interfaces		Package height	474 mm
Built-in USB hub *	✓	Package weight	8.3 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
Number of upstream ports	1	Stand included	✓
USB Type-A downstream ports quantity	4	Cables included	AC
VGA (D-Sub) ports quantity	1	Other features	
DVI port	✗	Certification	UL/cUL, FCC, ICES-3, CB, ErP, WEEE, TUV-GS, TUV-Ergo, ISO 9241-307, UkrSEPRO, CU, CCC, CEL, BSMI, RCM, MEPS, VCCI, PSE, PC Recycle, J-MOSS, KC, KCC, e-Standby, Energy Star 8.0, TCO
HDMI *	✓		
HDMI ports quantity	1	Logistics data	
HDMI version	1.4	Harmonized System (HS) code	85285210
DisplayPorts quantity	1		
DisplayPort version	1.2		



0192876602430



192876602430

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.