

ASUS ProArt OLED PA279CDV computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, Silver

Brand : ASUS

Product family: ProArt OLED

Product code: 90LM06M0-B01K71

Product name : PA279CDV

ProArt Display OLED PA279CDV Professional Monitor – 27-inch (26.5-inch viewable), 4K UHD (3840 x 2160), QD-OLED, 120Hz, HDR10, 99% DCI-P3, $\Delta E < 1.5$, Calman Verified, USB-C with 96W Power Delivery, Auto KVM, Ergonomic Stand, ASUS DisplayWidget Center, Green sustainability, Optimized for Mac

ASUS ProArt OLED PA279CDV computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, Silver:

All The Pro Essentials For Every Creator

ProArt Display OLED PA279CDV is a 26.5-inch 4K UHD QD-OLED professional monitor designed for content creators, video editors, and color-critical workflows. It features 1000-nit peak brightness, 99% DCI-P3 color gamut, Delta E < 1.5 factory calibrated, ensuring highly-accurate colors and exceptionally-detailed visuals. Its 120Hz refresh rate enables creators to develop fast-rendering games and perform artwork quality checks on a single display. The monitor also features an anti-scratch film that provides up to 2.5x better protection compared to previous-gen OLED panels.



Display		Ports & interfaces	
Display diagonal *	67.3 cm (26.5")	HDMI version	2.1
Display resolution *	3840 x 2160 pixels	DisplayPorts quantity	2
HD type *	4K Ultra HD	DisplayPort version	1.4
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	QD-OLED	Headphone outputs	1
Panel type *	OLED	Headphone connectivity	3.5 mm
Backlight type	QD	Built-in KVM switch	✓
Touchscreen *	✗	HDCP	✓
Display brightness (typical)	250 cd/m ²	HDCP version	2.2
Response time *	0.1 ms	Ergonomics	
Response time measurement type	GTG (Gray to Gray)	VESA mounting *	✓
Anti-glare screen	✓	Panel mounting interface	100 x 100 mm
Screen shape *	Flat	Wall mountable	✓
Contrast ratio (typical) *	1500000:1	Cable lock slot *	✓
Contrast ratio (dynamic)	1500000:1	Cable lock slot type	Kensington
Maximum refresh rate *	120 Hz	Height adjustment *	✓
Viewing angle, horizontal	178°	Adjustable height (max)	13 cm
Viewing angle, vertical	178°	Pivot	✓
Display number of colours *	1.073 billion colours	Pivot angle	-90 - 90°
Pixel pitch	0.153 x 0.153 mm	Swivelling	✓
Pixel density	166 ppi	Swivel angle range	-30 - 30°
Viewable size, horizontal	59 cm	Tilt adjustment	✓
Viewable size, vertical	33.3 cm	Tilt angle range	-5 - 23°
Digital horizontal frequency	31 - 275 kHz	Power	
Digital vertical frequency	48 - 120 Hz	Energy efficiency class (SDR) *	F
High Dynamic Range (HDR) supported	✓	Energy efficiency class (HDR) *	F
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), DisplayHDR 400 True Black		

Display		Power	
Colour gamut standard	DCI-P3, sRGB	Energy consumption (SDR) per 1000 hours *	22 kWh
sRGB coverage (typical)	100%	Energy consumption (HDR) per 1000 hours *	24 kWh
DCI-P3 coverage	99%	Power consumption (typical) *	26.54 W
Performance		Power consumption (off)	0 W
NVIDIA G-SYNC *	✗	Power consumption (PowerSave)	0.5 W
AMD FreeSync *	✗	AC input voltage	100 - 240 V
VESA Adaptive Sync support	✓	AC input frequency	50/60 Hz
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	612.1 mm
Number of speakers	2	Depth (with stand)	202.1 mm
RMS rated power	4 W	Height (with stand)	525.8 mm
Built-in speaker(s) *	✓	Weight (with stand)	5.6 kg
Built-in camera *	✗	Width (without stand)	612.1 mm
Design		Depth (without stand)	39.8 mm
Market positioning *	Professional	Height (without stand)	360.9 mm
Product colour *	Black, Silver	Weight (without stand)	3.6 kg
Detachable stand	✓	Packaging data	
Feet colour	Silver	Package width	691 mm
Ports & interfaces		Package depth	427 mm
Built-in USB hub *	✓	Package height	140 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	8.4 kg
USB Type-A downstream ports quantity	3	Package type	Box
USB Type-C downstream ports quantity	1	Packaging content	
USB Type-C DisplayPort Alternate Mode	✓	Stand included	✓
USB Power Delivery (USB PD)	✓	Other features	
USB Power Delivery up to	96 W	Warranty period	3 year(s)
HDMI *	✓	Certification	Mac Compliance FSC MIX Calman
HDMI ports quantity	1		Verified VESA MediaSync Display
			VESA DisplayHDR 400 True Black
			TÜV Low Blue Light TÜV Flicker-free
			Energy Star



4711636393034



0199291335271



199291335271

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.