

ASUS ProArt PA279CRV computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM08E0-B01K70

Product name : PA279CRV



5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



*Ürününizi kaydetmek için QR kodu okutunuz.

ASUS ProArt Display PA279CRV Professional Monitor – 27-inch, IPS, 4K UHD (3840 x 2160), 99% DCI-P3, 99% Adobe RGB, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability

ASUS ProArt PA279CRV computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black:

All the Essentials for Pros

ProArt Display PA279CRV is a 27-inch 4K HDR monitor designed for professional video editors. This Calman Verified display boasts a wide color gamut with 99% DCI-P3 and 99% Adobe RGB coverage and is factory pre-calibrated to Delta E < 2 for exceptional color accuracy. For added convenience, the built-in USB-C® port offers DisplayPort™ support, superfast data transfers, and 96-watt power delivery via a single cable.

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	USB Power Delivery (USB PD)	✓
Display resolution *	3840 x 2160 pixels	USB Power Delivery up to	96 W
HD type *	4K Ultra HD	HDMI *	✓
Native aspect ratio *	16:9	HDMI ports quantity	2
Display technology *	LCD	HDMI version	2.0
Panel type *	IPS	DisplayPorts quantity	2
Backlight type	LED	DisplayPort version	1.4
Touchscreen *	✗	Headphone out *	✓
Display brightness (peak)	400 cd/m²	Headphone outputs	1
Display brightness (typical)	350 cd/m²	HDCP	✓
Response time *	5 ms	HDCP version	2.2
Display surface	Matt	Charging port type	USB Type-C
Anti-glare screen	✓	Ergonomics	
Screen shape *	Flat	VESA mounting *	✓
Contrast ratio (typical) *	1000:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	3000:1	Wall mountable	✓
Maximum refresh rate *	60 Hz	Cable lock slot *	✓
Viewing angle, horizontal	178°	Cable lock slot type	Kensington
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	1.073 billion colours	Adjustable height (max)	13 cm
Pixel pitch	0.155 x 0.155 mm	Pivot	✓
Pixel density	163 ppi	Pivot angle	-90 - 90°
Viewable size, horizontal	59.7 cm	Swivelling	✓
Viewable size, vertical	33.6 cm	Swivel angle range	-30 - 30°
Digital horizontal frequency	15 - 135 kHz	Tilt angle range	-5 - 23°
Digital vertical frequency	48 - 60 Hz	Power	
High Dynamic Range (HDR) supported	✓	Energy efficiency class (SDR) *	E


Display		Power	
High Dynamic Range (HDR) technology	DisplayHDR 400, High Dynamic Range 10 (HDR10)	Energy efficiency class (HDR) *	G
Colour gamut standard	DCI-P3	Energy consumption (SDR) per 1000 hours *	22 kWh
Colour gamut	99%	Energy consumption (HDR) per 1000 hours *	34 kWh
sRGB coverage (typical)	100%	Power consumption (typical) *	26.14 W
Adobe RGB coverage	99%	Power consumption (off)	0 W
Performance		Power consumption (PowerSave)	0.5 W
Flicker-free technology	✓	AC input voltage	100 - 240 V
Low Blue Light technology	✓	AC input frequency	50 - 60 Hz
Multimedia		Energy efficiency scale	A to G
Number of speakers	2	Weight & dimensions	
RMS rated power	4 W	Width (with stand)	612.2 mm
Built-in speaker(s) *	✓	Depth (with stand)	215 mm
Built-in camera *	✗	Height (with stand)	538.1 mm
Design		Weight (with stand)	5.78 kg
Market positioning *	Graphics design	Width (without stand)	612.2 mm
Product colour *	Black	Depth (without stand)	44.1 mm
Feet colour	Silver	Height (without stand)	362.9 mm
Ports & interfaces		Weight (without stand)	4.07 kg
		Packaging data	
Built-in USB hub *	✓	Package width	691 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	138 mm
USB upstream port type	USB Type-C	Package height	427 mm
Number of USB Type-C upstream ports quantity	1	Package weight	8.69 kg
USB Type-A downstream ports quantity	3	Package type	Box
USB Type-C DisplayPort Alternate Mode	✓		



4711081951506




0195553951531



195553951531



5715328114975



4711081951513

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.