

ASUS ProArt PA329CRV computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM02C0-B01K70

Product name : PA329CRV



5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



*Ürününüzü kaydetmek için QR kodu okutunuz.

- 31.5-inch 4K (3840 x 2160) LED backlight HDR display with 178° wide-view IPS panel
 - Wide color gamut with 98% DCI-P3 coverage
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - Extensive connectivity including DP over USB-C™ with 96W Power Delivery, DisplayPort (MST), HDMI and USB hub
 - Slim profile and smaller base also comes with wall mountable for desk space saving
 - Ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
 - Green Sustainability: paper packaging and energy-efficient environmental standards
- ProArt Display PA329CRV

ASUS ProArt PA329CRV computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black:

ASUS ProArt Display PA329CRV Professional Monitor – 32-inch (31.5-inch viewable), IPS, 4K UHD (3840 x 2160), 98% DCI-P3, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C PD 96W, VESA DisplayHDR 400, VESA MediaSync, Ergonomic Stand, Green Sustainability

Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	USB Type-C downstream ports quantity	3
Display resolution *	3840 x 2160 pixels	USB Type-C DisplayPort Alternate Mode	✓
HD type *	4K Ultra HD	USB Power Delivery (USB PD)	✓
Native aspect ratio *	16:9	USB Power Delivery up to	96 W
Display technology *	LCD	HDMI *	✓
Panel type *	IPS	HDMI ports quantity	2
LED backlight	✓	HDMI version	2.0
Backlight type	LED	DisplayPorts quantity	2
Touchscreen *	✗	DisplayPort version	1.4
Display brightness (peak)	400 cd/m ²	Headphone out *	✓
Display brightness (typical)	350 cd/m ²	Headphone outputs	1
Response time *	5 ms	HDCP	✓
Response time measurement type	GTG (Gray to Gray)	HDCP version	2.2
Anti-glare screen	✓	Charging port type	USB Type-C
Screen shape *	Flat	Ergonomics	
Contrast ratio (typical) *	1000:1	VESA mounting *	✓
Contrast ratio (dynamic)	3000:1	Panel mounting interface	100 x 100 mm
Maximum refresh rate *	60 Hz	Wall mountable	✓
Viewing angle, horizontal	178°	Cable lock slot *	✓
Viewing angle, vertical	178°	Cable lock slot type	Kensington
Display number of colours *	1.073 billion colours	Height adjustment *	✓
Pixel pitch	0.182 x 0.182 mm	Adjustable height (max)	13 cm
Pixel density	140 ppi	Pivot	✓
Viewable size, horizontal	69.7 cm	Pivot angle	-90 - 90°
Viewable size, vertical	39.2 cm	Swivelling	✓
Digital horizontal frequency	15 - 135 kHz	Swivel angle range	-30 - 30°
Digital vertical frequency	48 - 60 Hz		
High Dynamic Range (HDR) supported	✓		


Display		Ergonomics	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Tilt adjustment	✓
Colour gamut standard	DCI-P3	Tilt angle range	-5 - 23°
Colour gamut	98%	Power	
sRGB coverage (typical)	100%	Energy efficiency class (SDR) *	E
DCI-P3 coverage	98%	Energy efficiency class (HDR) *	G
Performance		Energy consumption (SDR) per 1000 hours *	25 kWh
Flicker-free technology	✓	Energy consumption (HDR) per 1000 hours *	40 kWh
Low Blue Light technology	✓	Power consumption (typical) *	26.22 W
Multimedia		Power consumption (off)	0 W
Number of speakers	2	Power consumption (PowerSave)	0.5 W
RMS rated power	4 W	AC input voltage	100 - 240 V
Built-in speaker(s) *	✓	AC input frequency	50 - 60 Hz
Built-in camera *	✗	Energy efficiency scale	A to G
Design		Weight & dimensions	
Market positioning *	Photo editing	Width (with stand)	713.8 mm
Product colour *	Black	Depth (with stand)	240 mm
Feet colour	Silver	Height (with stand)	617.7 mm
Ports & interfaces		Weight (with stand)	9.9 kg
I/O ports	USB-C x 1 (DP Alt Mode), DisplayPort 1.4 x 2 (Daisy Chain), HDMI(v2.0) x 2, USB Hub : 3x USB 3.2 Gen 1 Type-A,USB Hub : 1x USB 3.2 Gen 1 Type-C,Earphone Jack : Yes, USB-C Power Delivery : 96W	Width (without stand)	713.8 mm
		Depth (without stand)	44.7 mm
		Height (without stand)	419.3 mm
		Weight (without stand)	6.7 kg
		Packaging data	
Built-in USB hub *	✓	Package width	828 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	142 mm
USB upstream port type	USB Type-C	Package height	509 mm
USB Type-A downstream ports quantity	3	Package weight	14.2 kg
		Package type	Box



4711387005811



0195553996600



195553996600



0197105005815



197105005815

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.