

ASUS ROG Swift OLED PG32UCDM computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black

Brand : ASUS

Product family: ROG Swift
OLED

Product code: 90LM09T0-
B01370

Product name : PG32UCDM

- 32-inch 4K (3840 x 2160) QD-OLED gaming monitor with 240 Hz refresh rate and 0.03 ms (GTG) response time for immersive gaming
 - Highly efficient custom heatsink, advanced airflow design, and graphene film for better heat management to reduce the risk of burn-in
 - VESA DisplayHDR™ 400 True Black compliance, 99% DCI-P3 gamut, true 10-bit, and Delta E < 2 color difference for astonishing HDR performance
 - Optional uniform brightness setting ensures consistent luminance levels
 - DisplayWidget Center allows users to access OLED Care functions, as well as adjust monitor settings with a mouse
 - Extensive connectivity options include DisplayPort™ 1.4 (DSC), HDMI® 2.1, and USB-C® with 90 W Power Delivery
- ROG Swift OLED PG32UCDM 81.28 cm (32 inch) gaming monitor (QD-OLED panel, 240 Hz, 0.03 ms response time, G-SYNC compatible, VESA DisplayHDR 400, DisplayPort, HDMI, USB-C)




Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Headphone out *	✓
Display resolution *	3840 x 2160 pixels	Headphone outputs	1
HD type *	4K Ultra HD	Headphone connectivity	3.5 mm
Native aspect ratio *	16:9	Built-in KVM switch	✓
Display technology *	QD-OLED	HDCP	✓
Panel type *	OLED	HDCP version	2.2
Touchscreen *	✗	Ergonomics	
Display brightness (peak)	1000 cd/m²	VESA mounting *	✓
Display brightness (typical)	250 cd/m²	Panel mounting interface	100 x 100 mm
Response time *	0.03 ms	Wall mountable	✓
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Contrast ratio (typical) *	1500000:1	Height adjustment *	✓
Maximum refresh rate *	240 Hz	Adjustable height (max)	11 cm
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	-15 - 15°
Display number of colours *	1.073 billion colours	Tilt adjustment	✓
Pixel pitch	0.182 x 0.182 mm	Tilt angle range	-5 - 20°
Viewable size, horizontal	69.9 cm	Power	
Viewable size, vertical	39.5 cm	Energy efficiency class (SDR) *	G
Digital horizontal frequency	510 - 501 kHz	Energy efficiency class (HDR) *	G
Digital vertical frequency	48 - 240 Hz	Energy consumption (SDR) per 1000 hours *	50 kWh
High Dynamic Range (HDR) supported	✓	Energy consumption (HDR) per 1000 hours *	59 kWh
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Power consumption (typical) *	42 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC *	✓	Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC type	G-SYNC Compatible	AC input voltage	100 - 240 V
AMD FreeSync *	✓	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync Premium Pro		
VESA Adaptive Sync support	✓		

Performance		Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	718 mm
Low Blue Light technology	✓	Depth (with stand)	274 mm
Game mode	✓	Height (with stand)	579 mm
Multimedia		Weight (with stand)	8.8 kg
Built-in speaker(s) *	✗	Width (without stand)	718 mm
Built-in camera *	✗	Depth (without stand)	74 mm
Design		Height (without stand)	430 mm
Market positioning *	Gaming	Weight (without stand)	6 kg
Product colour *	Black	Packaging data	
Detachable stand	✓	Package width	868 mm
Illuminated stand	✓	Package depth	238 mm
Feet colour	Black	Package height	514 mm
Ports & interfaces		Package weight	15.2 kg
Built-in USB hub *	✓	Package type	Box
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Packaging content	
USB upstream port type	USB Type-C	Stand included	✓
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability compliance	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	Forest Stewardship Council (FSC) Mix
USB Power Delivery (USB PD)	✓	Other features	
USB Power Delivery up to	90 W	Brand specific technologies	ASUS OLED Care
HDMI *	✓	Shadow control	✓
HDMI ports quantity	2	Motion blur reduction	✓
HDMI version	2.1	Warranty period	3 year(s)
DisplayPorts quantity	1	Certification	TÜV Flicker-free TÜV Low Blue Light (Hardware Solution) VESA
DisplayPort version	1.4		DisplayHDR 400 True Black AMD FreeSync Premium Pro G-SYNC Compatible FSC MIX



4711387413739



0197105413726



197105413726

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.