

Sharp PN-E329 Signage Display Digital signage flat panel 81.3 cm (32") LCD 350 cd/m² Full HD Black 16/7



Brand : Sharp

Product code: PN-E329

Product name : PN-E329

- Unhindered readability – a high-haze panel reduces glare from windows and ambient light, keeping signage content and presentations clear for uninterrupted viewing in any environment
 - Standardised functionality – shares a common identity with the wider Sharp display portfolio, ensuring unified operation and remote device management, and consistent styling for a seamless user experience.
 - Effortless plug-and-play signage – the integrated USB MediaPlayer enables native UHD content playback with auto-start functionality, delivering instant digital signage without the need for external hardware or content management systems.
 - Flexible orientation – designed for both portrait and landscape installation, with uniform bezel width on all sides to ensure a clean, professional look in any configuration.
- LCD 32" Essential Large Format Display, 1920 x 1080, 1200:1



Display		Design	
Panel type	IPS	VESA mounting *	✓
LED backlight	✓	Panel mounting interface	200 x 200 mm
LED backlighting type	Direct-LED	Bezel width (bottom)	1.05 cm
Display diagonal *	81.3 cm (32")	Bezel width (side)	1.05 cm
Display technology *	LCD	Bezel width (top)	1.05 cm
Display resolution *	1920 x 1080 pixels	Performance	
Display brightness *	350 cd/m²	Purpose *	Universal
HD type *	Full HD	Operating hours (hours/days)	16/7
Touchscreen *	✗	HDCP	✓
Response time	8 ms	HDCP version	2.2
Contrast ratio (typical)	1200:1	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	43 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours	16.7 million colours	Energy efficiency class (SDR)	G
Pixel pitch	0.364 x 0.364 mm	Energy consumption (SDR) per 1000 hours	44 kWh
Active display area (W x H)	698 x 393 mm	AC input voltage	100 - 240 V
Display diagonal (metric)	80 cm	AC input frequency	50/60 Hz
Horizontal scan range	31.5 - 135 kHz	Energy efficiency scale	A to G
Vertical scan range	24 - 75 Hz	Computer system	
Native refresh rate	60 Hz	Video formats supported	MPG, MP4, TS, MPEG1, MPEG2, MPEG4, H.263, H.264, HEVC/H.265
Haze rate	25%	Audio formats supported	MP3
Ports & interfaces		Image formats supported	JPG
HDMI ports quantity *	2	Weight & dimensions	
DVI port *	✗	Display width	724 mm
USB port *	✓	Display depth	59 mm
USB ports quantity	2	Display height	418 mm
USB connector type	USB Type-A, USB Type-C	Display weight	4.7 kg
USB Type-C DisplayPort Alternate Mode	✓	Packaging data	
Ethernet LAN (RJ-45) ports	1	Package width	824 mm
RS-232C	✓	Package depth	119 mm
Audio Return Channel (ARC)	✓		

Audio		Packaging data	
Built-in speaker(s) *	✓	Package height	554 mm
Number of built-in speakers	2	Package weight	7 kg
RMS rated power	10 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	20 - 80%
Placement supported *	Indoor	Storage temperature (T-T)	-20 - 60 °C
Orientation	Horizontal/Vertical	Storage relative humidity (H-H)	10 - 80%
Product colour *	Black	Network	
Screen shape	Flat	Ethernet LAN *	✓



0074000704183



074000704183

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.