



APC SMC1000C uninterruptible power supply (UPS) Line-Interactive 1 kVA 600 W 8 AC outlet(s)

Brand : APC

Product code: SMC1000C

Product name : SMC1000C

- Cold-start capable
 - Green mode
 - High online efficiency
 - LCD Status Display
 - Pure sine wave output on battery
 - Temperature-compensated battery charging
- 600 W, 120V, 50/60Hz, 8x NEMA 5-15R, RJ-45, USB, LCD, 219x171x439 mm

APC SMC1000C uninterruptible power supply (UPS) Line-Interactive 1 kVA 600 W 8 AC outlet(s):

Intelligent and efficient network power protection from entry level to scaleable runtime. Ideal UPS for servers, point-of-sale, routers, switches, hubs and other network devices.

APC SMC1000C. UPS topology: Line-Interactive, Output power capacity: 1 kVA, Output power: 600 W. AC outlet types: NEMA 5-15R, Power plug: NEMA 5-15P, AC outlets quantity: 8 AC outlet(s). Battery technology: Lead-Acid, Battery life (max): 5 year(s), Battery recharge time: 3 h. Form factor: Tower, Product colour: Black, Cable length: 1.83 m. Compliance certificates: RoHS, Certification: CSA, CSA C22.2 No. 107.1, ENERGY STAR V1.0 (USA), FCC 15 B, ICES-003, UL 1778




Features		Design	
UPS topology *	Line-Interactive	Form factor *	Tower
Output power capacity *	1 kVA	Cable length	1.83 m
Output power *	600 W	Product colour *	Black
Waveform *	Sine	Display type	LCD
Input operation voltage (min) *	85 V	Operational conditions	
Input operation voltage (max) *	136 V	Operating temperature (T-T)	0 - 40 °C
Input frequency *	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Output operation voltage (min)	110 V	Operating relative humidity (H-H)	0 - 95%
Output operation voltage (max)	127 V	Storage relative humidity (H-H)	0 - 95%
Output frequency	50/60 Hz	Operating altitude	0 - 3000 m
Surge energy rating	680 J	Non-operating altitude	0 - 15000 m
Hold time (min)	6 ms	Certificates	
Hold time (max)	10 ms	Compliance certificates	RoHS
Output voltage Total Harmonic Distortion (THD)	5%	Certification	CSA, CSA C22.2 No. 107.1, ENERGY STAR V1.0 (USA), FCC 15 B, ICES-003, UL 1778
Noise level	41 dB	Packaging content	
Surge protection	✓	Cables included	USB cable
Audible alarm modes	Alarm when on battery, Low battery alarm	Sustainability	
Auto-restart	✓	Sustainability certificates	ENERGY STAR
Ports & interfaces		Weight & dimensions	
AC outlet types	NEMA 5-15R	Width	171 mm
Power plug	NEMA 5-15P	Depth	439 mm
AC outlets quantity	8 AC outlet(s)	Height	219 mm
USB port	✓	Weight	17 kg
Serial interface	✓		
Serial interface type	RJ-45		

Battery		Packaging data	
Battery technology	Lead-Acid	Resource CD	✓
Battery life (max)	5 year(s)	Software CD	✓
Battery recharge time	3 h	Package width	330 mm
Hot-swap battery	✓	Package depth	590 mm
Cold start	✓	Package height	330 mm
Replacement battery cartridge	APCRBC142	Package weight	19.6 kg
Logistics data			
		Products per pallet	12 pc(s)
Other features			
		Output voltage	120 V



0731304322740



731304322740

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.