



APC SRT3000XLT uninterruptible power supply (UPS) Double-conversion (Online) 3 kVA 2700 W 3 AC outlet(s)

Brand : APC

Product code: SRT3000XLT

Product name : SRT3000XLT

3000VA, 2700W, 208V, 50/60Hz, LCD, IP20, 31.3kg, Black
APC SRT3000XLT. UPS topology: Double-conversion (Online), Output power capacity: 3 kVA, Output power: 2700 W. AC outlet types: NEMA L6-20R, NEMA L6-30P, Power plug: NEMA L6-20P, AC outlets quantity: 3 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery voltage: 96 V, Typical backup time at full load: 2.3 min. Form factor: Tower, Product colour: Black, International Protection (IP) code: IP20. Certification: CSA C22.2 No.107.3-05, FCC Part 15 Class A, UL 1778




Features		Battery	
UPS topology *	Double-conversion (Online)	Typical backup time at full load	2.3 min
Output power capacity *	3 kVA	Typical backup time at half load	8.3 min
Output power *	2700 W	Battery recharge time	3 h
Waveform *	Sine	Design	
Input operation voltage (min) *	100 V	Form factor *	Tower
Input operation voltage (max) *	275 V	Product colour *	Black
Input frequency *	50/60 Hz	International Protection (IP) code	IP20
Output operation voltage (min)	208 V	Operational conditions	
Output operation voltage (max)	240 V	Operating temperature (T-T)	0 - 40 °C
Surge energy rating	340 J	Storage temperature (T-T)	-15 - 45 °C
Efficiency	91%	Operating relative humidity (H-H)	0 - 95%
Crest factor	3:1	Storage relative humidity (H-H)	0 - 95%
Emergency Power Off (EPO)	✓	Certificates	
Noise level	55 dB	Certification	CSA C22.2 No.107.3-05, FCC Part 15 Class A, UL 1778
Audible alarm(s)	✓	Sustainability	
Audible alarm modes	Battery replacement	Sustainability certificates	ENERGY STAR
Ports & interfaces		Weight & dimensions	
AC outlet types	NEMA L6-20R, NEMA L6-30P	Width	85 mm
Power plug	NEMA L6-20P	Depth	635 mm
AC outlets quantity	3 AC outlet(s)	Height	432 mm
USB 2.0 ports quantity	1	Weight	31.3 kg
Serial ports quantity	1		
Ethernet LAN (RJ-45) ports	1		

Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Package width	599 mm
Battery voltage	96 V	Package depth	871 mm
Number of batteries supported	1	Package height	246 mm
		Package weight	36.7 kg
		Package type	Box
		Logistics data	
		Products per pallet	6 pc(s)



0731304317685



731304317685

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.