

Viewsonic TD2230 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Touchscreen Multi-user Black


Brand : Viewsonic

Product code: TD2230

Product name : TD2230


22", 1920 x 1080, 1000:1, 7ms, TFT, 178° / 178°, 21.5", 50000000:1, LED, 250 cd/m², 7H, USB 3.0, HDMI, VGA, DisplayPort, 3W x2, 19W, 22W, 25W, 28W, 100-240 V, 50/60Hz, OSD, 0° - 40° C, 20%-90%, VESA, 24-82 kHz, 50-76 kHz, 20° - 70°, 4.7 kg, 3.6 kg, 3.6 kg

Viewsonic TD2230. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	54.6 cm (21.5")	DisplayPorts quantity	1
Display resolution *	1920 x 1080 pixels	DisplayPort version	1.2
HD type *	Full HD	Audio input	1
Native aspect ratio *	16:9	Audio output	1
Display technology *	LCD	Ergonomics	
Panel type *	ADS	VESA mounting *	✓
Touchscreen *	✓	Panel mounting interface	100 x 100 mm
Touchscreen type	Multi-user	Wall mountable	✓
Touchscreen technology	Projected capacitive system	Tilt adjustment	✓
Touch technology	Multi-touch	Tilt angle range	20 - 70°
Number of simultaneous touchpoints	10	On Screen Display (OSD)	✓
Display brightness	250 cd/m ²	Number of OSD languages	12
Response time *	5 ms	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	F
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Energy consumption (SDR) per 1000 hours *	19 kWh
		Power consumption (typical) *	25 W
Contrast ratio (typical) *	1000:1	AC input voltage	100-240 V
Contrast ratio (dynamic)	50000000:1	AC input frequency	50 - 60 Hz
Maximum refresh rate *	76 Hz	Power supply type	AC
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	Operational conditions	
Pixel pitch	0.24825 x 0.24825 mm	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	24 - 82 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	50 - 76 Hz	Operating relative humidity (H-H)	20 - 90%
Display diagonal (metric)	54.6 cm	Storage relative humidity (H-H)	5 - 90%

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	490 mm
AMD FreeSync *	✗	Depth (with stand)	47 mm
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Height (with stand)	299 mm
Mac operating systems supported	✓	Weight (with stand)	3.58 kg
Linux operating systems supported	✓	Packaging data	
Other operating systems supported	Android	Package width	550 mm
Multimedia		Package depth	114 mm
Number of speakers	2	Package height	371 mm
RMS rated power	6 W	Package weight	4.7 kg
Built-in speaker(s) *	✓	Packaging content	
Built-in microphone	✗	Cables included	AC, Audio (3.5mm), HDMI, USB
Built-in camera *	✗	Sustainability	
Design		Sustainability certificates	EPEAT Bronze, ErP
Product colour *	Black	Other features	
Ports & interfaces		Display viewable area (HxV)	476.64 x 268.11 mm
Built-in USB hub *	✓	Weight	3.6 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Compliance certificates	CE, REACH, RoHS
USB upstream port type	USB Type-B	Certification	cULus, FCC-B, ICES003, Energy Star 8.0, EPEAT Bronze, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BIS, CCC, China RoHS, China Energy Label, CECP
Number of upstream ports	1		
Number of USB Type-B upstream ports quantity	1		
USB Type-A downstream ports quantity	2	Logistics data	
HDMI *	✓	Products per master (outer) case	1 pc(s)
HDMI ports quantity	1	Pallet gross width	120 cm
HDMI version	1.4	Pallet gross length	100 cm
		Pallet gross height	197.5 cm
		Harmonized System (HS) code	8528521000



0766907842418



766907842418

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.