

## Viewsonic TD2465 Signage Display Interactive flat panel 61 cm (24") LED 250 cd/m<sup>2</sup> Full HD Black Touchscreen

**Brand :** Viewsonic

**Product code:** TD2465

**Product name :** TD2465

- Touch function for wet hands and multiple types of glove
- Pen clicks & Palm rejection technology
- 4-sides frameless design and optional stand for flexibility
- Friendly touch mode setting
- Intuitive touch OSD with ViewSonic Touch Controller


24", 1920 x 1080p, FHD, 3000:1, LED, 250cd/m<sup>2</sup>, 16:9, 60Hz, HDMI 1.4, DisplayPort, USB 3.2 Type-A x2, USB 3.2 Type-B, VGA

Viewsonic TD2465. Product design: Interactive flat panel. Display diagonal: 61 cm (24"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 250 cd/m<sup>2</sup>, HD type: Full HD, Touchscreen. Product colour: Black



| Display                     |                        | Power                                   |             |
|-----------------------------|------------------------|-----------------------------------------|-------------|
| LED backlight               | ✓                      | Power consumption (standby) *           | 0.5 W       |
| Display diagonal *          | 61 cm (24")            | Energy efficiency class (SDR)           | D           |
| Display technology *        | LED                    | Energy consumption (SDR) per 1000 hours | 14 kWh      |
| Display resolution *        | 1920 x 1080 pixels     | AC input voltage                        | 100 - 240 V |
| Display brightness *        | 250 cd/m <sup>2</sup>  | Energy efficiency scale                 | A to G      |
| HD type *                   | Full HD                | <b>Computer system</b>                  |             |
| Touchscreen *               | ✓                      | Built-in processor *                    | ✗           |
| Native aspect ratio         | 16:9                   | <b>Weight &amp; dimensions</b>          |             |
| Response time               | 7 ms                   | Display width                           | 550 mm      |
| Contrast ratio (typical)    | 3000:1                 | Display depth                           | 49 mm       |
| Contrast ratio (dynamic)    | 20000000:1             | Display height                          | 326 mm      |
| Viewing angle, horizontal   | 178°                   | Display weight                          | 4.7 kg      |
| Viewing angle, vertical     | 178°                   | Weight                                  | 4.7 kg      |
| Maximum frame rate          | 60 fps                 | Width (with stand)                      | 550 mm      |
| Panel life                  | 30000 h                | Depth (with stand)                      | 401 mm      |
| Native refresh rate         | 60 Hz                  | Height (with stand)                     | 198 mm      |
| Surface hardness            | 7H                     | Weight (with stand)                     | 5.7 kg      |
| RGB colour space            | sRGB                   | <b>Packaging data</b>                   |             |
| Ports & interfaces          |                        | Package width                           | 647 mm      |
| HDMI ports quantity *       | 1                      | Package depth                           | 138 mm      |
| HDMI version                | 1.4                    | Package height                          | 426 mm      |
| DisplayPorts quantity *     | 1                      | Package weight                          | 5.7 kg      |
| USB port *                  | ✓                      | <b>Packaging content</b>                |             |
| USB ports quantity          | 3                      | Tilt angle                              | 20°         |
| USB version                 | 3.2 Gen 1 (3.1 Gen 1)  | Tilt adjustment                         | ✓           |
| USB connector type          | USB Type-A, USB Type-B | <b>Operational conditions</b>           |             |
| Audio (L/R) in              | 1                      | Operating temperature (T-T)             | 0 - 40 °C   |
| Audio (L/R) out             | 1                      | Operating relative humidity (H-H)       | 20 - 90%    |
| Audio                       |                        | <b>Logistics data</b>                   |             |
| Built-in speaker(s) *       | ✓                      | Products per master (outer) case        | 1 pc(s)     |
| Number of built-in speakers | 2                      | Pallet gross length                     | 100 cm      |
| RMS rated power             | 4 W                    | Pallet gross width                      | 120 cm      |
| Design                      |                        |                                         |             |
| Product design *            | Interactive flat panel |                                         |             |

| Design                        |              | Logistics data              |            |
|-------------------------------|--------------|-----------------------------|------------|
| Product colour *              | Black        | Pallet gross height         | 2.1 m      |
| VESA mounting *               | ✓            | Harmonized System (HS) code | 8528521000 |
| Panel mounting interface      | 100 x 100 mm | Network                     |            |
| Performance                   |              | Ethernet LAN *              | ✗          |
| Purpose *                     | Commercial   | Wi-Fi *                     | ✗          |
| Power                         |              |                             |            |
| Power consumption (typical) * | 24 W         |                             |            |



0766907017885



766907017885

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.