

StarTech.com USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - White

Brand : StarTech.com

Product code: USB31000SPTW

Product name : USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - White

StarTech.com USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port (White) - USB 3.0 NIC - 10/100/1000 Mbps USB 3.0 LAN Adapter  
StarTech.com USB 3.0 to Gigabit Ethernet Adapter NIC w/ USB Port - White. Connectivity technology: Wired, Host interface: RJ-45, Interface: USB. Maximum data transfer rate: 5000 Mbit/s. Product colour: White



| Ports & interfaces           |                                                      | Operational conditions            |             |
|------------------------------|------------------------------------------------------|-----------------------------------|-------------|
| Connectivity technology *    | Wired                                                | Operating temperature (T-T)       | 0 - 50 °C   |
| Host interface *             | RJ-45                                                | Storage temperature (T-T)         | -20 - 60 °C |
| Interface *                  | USB                                                  | Operating relative humidity (H-H) | 5 - 85%     |
| Ethernet LAN (RJ-45) ports   | 1                                                    | Sustainability                    |             |
| USB ports quantity           | 1                                                    | Sustainability compliance         | ✓           |
| Network                      |                                                      | Weight & dimensions               |             |
| Maximum data transfer rate * | 5000 Mbit/s                                          | Width                             | 35 mm       |
| Networking standards *       | IEEE 802.3ab, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u | Depth                             | 126 mm      |
| Ethernet LAN                 | ✓                                                    | Height                            | 17 mm       |
| Ethernet LAN data rates      | 10,100,1000 Mbit/s                                   | Weight                            | 44 g        |
| Cabling technology           | 10/100/1000BaseT(X)                                  | Packaging data                    |             |
| Auto MDIX IEEE               | ✓                                                    | Drivers included                  | ✓           |
| Full duplex                  | ✓                                                    | Package width                     | 170 mm      |
| Maximum operating distance   | 100 m                                                | Package depth                     | 143 mm      |
| Design                       |                                                      | Package height                    | 29 mm       |
| Component for *              | Laptop                                               | Package weight                    | 132 g       |
| Product colour               | White                                                | Packaging content                 |             |
| Internal *                   | ✗                                                    | Manual                            | ✓           |
| Chipset                      | ASIX - AX88179, VIA/VLI - VL811                      | Technical details                 |             |
| Plug and Play                | ✓                                                    | Compliance certificates           | CE, RoHS    |
| Logistics data               |                                                      |                                   |             |
|                              |                                                      | Harmonized System (HS) code       | 85176990    |
|                              |                                                      | Master (outer) case width         | 366 mm      |
|                              |                                                      | Master (outer) case length        | 585 mm      |
|                              |                                                      | Master (outer) case height        | 306 mm      |
|                              |                                                      | Products per master (outer) case  | 80 pc(s)    |
| Other features               |                                                      |                                   |             |
|                              |                                                      | Housing material                  | Plastic     |
|                              |                                                      | Cable length                      | 0.155 m     |

## System requirements

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Windows operating systems supported | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| Mac operating systems supported     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Linux operating systems supported   | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Server operating systems supported  | Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



0065030851909




065030851909



0041114171361



041114171361



0650308519096



650308519096

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.