



## Canon EOS 5D Mark IV + EF 24-105mm f/4L IS II USM SLR Camera Kit 30.4 MP CMOS 6720 x 4480 pixels Black

**Brand :** Canon

**Product family:** EOS

**Product code:** 1483C010

**Product name :** 5D Mark IV + EF 24-105mm f/4L IS II USM

EOS 5D Mark IV + EF 24-105mm f/4L IS II USM, 30.4 MP, DIGIC 6, 4K 25/30 fps, 1080p 50/60 fps, Dual Pixel CMOS AF, 3.2" LCD, Wi-Fi, GPS, 150.7 x 116.4 x 75.9 mm, 800 g  
Canon EOS 5D Mark IV + EF 24-105mm f/4L IS II USM. Camera type: SLR Camera Kit, Megapixel (approx.): 30.4 MP, Sensor type: CMOS, Maximum image resolution: 6720 x 4480 pixels. ISO sensitivity (max): 32000. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 4096 x 2160 pixels. Display diagonal: 8.13 cm (3.2"). PictBridge. Weight: 800 g. Product colour: Black



### Picture quality

|                             |                                                                                                                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Camera type *               | SLR Camera Kit                                                                                                                                                                                                                |
| Megapixel (approx.) *       | 30.4 MP                                                                                                                                                                                                                       |
| Sensor type *               | CMOS                                                                                                                                                                                                                          |
| Maximum image resolution *  | 6720 x 4480 pixels                                                                                                                                                                                                            |
| Still image resolution(s) * | 6720x4480, 4464x2976, 3360x2240, 1696x1280, 640x480, 5952x4480, 3968x2976, 2976x2240, 1920x1280, 720x480, 6720x3776, 4464x2512, 3360x1888, 1920x1080, 720x408, 4480x4480, 2976x2976, 2240x2240, 1280x1280, 480x480, 5040x3360 |
| Image stabilizer *          | ✓                                                                                                                                                                                                                             |
| Image stabilizer location   | Lens                                                                                                                                                                                                                          |
| Supported aspect ratios     | 1:1, 3:2, 4:3, 16:9                                                                                                                                                                                                           |
| Total megapixels            | 31.7 MP                                                                                                                                                                                                                       |
| Image sensor size (W x H)   | 36 x 24 mm                                                                                                                                                                                                                    |
| Image formats supported *   | JPG, Raw                                                                                                                                                                                                                      |

### Lens system

|                                  |       |
|----------------------------------|-------|
| Minimum aperture number          | 22    |
| Lens structure (elements/groups) | 17/12 |
| Filter size                      | 77 mm |
| Number of diaphragm blades       | 10    |

### Focusing

|                                  |                                                    |
|----------------------------------|----------------------------------------------------|
| Focus *                          | TTL                                                |
| Focus adjustment *               | Auto/Manual                                        |
| Auto focusing (AF) modes *       | AI Focus, Multi Point Auto Focus, Servo Auto Focus |
| Auto Focus (AF) points           | 61                                                 |
| Auto Focus (AF) points selection | Auto, Manual                                       |
| Auto Focus (AF) lock             | ✓                                                  |

### Ports & interfaces

|                     |                       |
|---------------------|-----------------------|
| PictBridge *        | ✓                     |
| USB version *       | 3.2 Gen 1 (3.1 Gen 1) |
| HDMI *              | ✓                     |
| HDMI connector type | Mini                  |
| Microphone in       | ✓                     |
| Headphone outputs   | 1                     |
| USB port            | ✓                     |

### Network


|                                  |                                     |
|----------------------------------|-------------------------------------|
| Bluetooth *                      | ✗                                   |
| Wi-Fi *                          | ✓                                   |
| Wi-Fi standards                  | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| Near Field Communication (NFC) * | ✓                                   |

### Camera

|                         |                                                                           |
|-------------------------|---------------------------------------------------------------------------|
| White balance *         | Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten |
| Scene modes *           | Portrait, Landscape                                                       |
| Shooting modes *        | Aperture priority, Auto, Manual, Scene, Shutter priority                  |
| Photo effects *         | Black&White                                                               |
| Self-timer delay *      | 2,10 s                                                                    |
| Brightness adjustment   | ✓                                                                         |
| Camera playback         | Highlights, Movie, Single image                                           |
| Dioptr correction       | ✓                                                                         |
| Dioptr adjustment (D-D) | -3 - 1                                                                    |
| Playback zoom (max)     | 10x                                                                       |

| Focusing                       |                                                                                     | Camera                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------|-------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Auto Focus (AF) assist beam    | ✓                                                                                   | Languages support                   | Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian                                                                                                                                                                                                                                                                                                                                   |
| Exposure                       |                                                                                     |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| ISO sensitivity (min) *        | 100                                                                                 |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| ISO sensitivity (max) *        | 32000                                                                               |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| ISO sensitivity                | 100, 25600, 32000, 51200, 102400                                                    | Histogram                           | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Light exposure modes *         | Auto, Manual                                                                        | Live view                           | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Light exposure control         | Program AE                                                                          | Direct printing                     | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Light exposure correction *    | ± 5EV (1/2EV; 1/3EV step)                                                           | Image editing                       | Crop, Resizing, Rotating                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Light metering *               | Centre-weighted, Evaluative (Multi-pattern), Partial, Spot                          | GPS (satellite)                     | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Auto Exposure (AE) lock        | ✓                                                                                   | Orientation sensor                  | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Shutter                        |                                                                                     | Camera file system                  | DPOF 1.1, Exif 2.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Fastest camera shutter speed * | 1/8000 s                                                                            | Playback modes                      | Next, Previous, Slideshow, Zoom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Slowest camera shutter speed * | 30 s                                                                                | Tripod mounting supported *         | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Flash                          |                                                                                     | Built-in processor                  | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Flash modes *                  | Auto, Manual                                                                        | Image processor                     | DIGIC 6+                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Flash exposure lock            | ✓                                                                                   | Windows operating systems supported | Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64 |
| External flash connector       | ✓                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Flash sync-speed               | 1/200 s                                                                             |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Flash exposure compensation    | ✓                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Flash exposure correction      | ±3EV (1/3 EV step)                                                                  | Mac operating systems supported     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Shoe mounting point            | ✓                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Shoe mounting point type       | Hot shoe                                                                            |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Video                          |                                                                                     |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Video recording *              | ✓                                                                                   | Design                              | Black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Maximum video resolution *     | 4096 x 2160 pixels                                                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| HD type *                      | 4K Ultra HD                                                                         |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Video resolutions              | 1280 x 720,1920 x 1080,4096 x 2160                                                  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Resolution at capture speed    | 1280x720@120fps, 1920x1080@25fps, 1920x1080@30fps, 4096x2160@24fps, 4096x2160@25fps | Battery                             | Lithium-Ion (Li-Ion)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Video formats supported        | AVC, H.264, MOV, MP4, MPEG4                                                         |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Audio                          |                                                                                     |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Built-in microphone *          | ✓                                                                                   |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Audio system                   | Mono                                                                                | Battery life (CIPA standard)        | 900 shots                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Audio formats supported        | AAC                                                                                 | Battery type                        | LP-E6N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Memory                         |                                                                                     | Number of batteries supported       | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Compatible memory cards *      | CF, SD, SDHC, SDXC                                                                  | Battery level indicator             | ✓                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Memory slots                   | 2                                                                                   | Operational conditions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Display                        |                                                                                     | Operating temperature (T-T)         | 0 - 40 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Display *                      | LCD                                                                                 | Operating relative humidity (H-H)   | 0 - 85%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Touchscreen *                  | ✗                                                                                   | Weight & dimensions                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Display diagonal *             | 8.13 cm (3.2")                                                                      | Width                               | 150.7 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Display diagonal (metric)      | 8.1 cm                                                                              | Depth                               | 75.9 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Display resolution (numeric)   | 1620000 pixels                                                                      | Height                              | 116.4 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Vari-angle LCD display         | ✗                                                                                   | Weight                              | 800 g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Field of view                  | 100%                                                                                | Lens diameter                       | 8.35 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Viewfinder                     |                                                                                     | Lens length                         | 11.8 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Magnification                  | 0.71x                                                                               | Lens weight                         | 795 g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| Packaging content        |                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand strap               | ✓                                                                                                                                                                                         |
| Battery charger included | ✓                                                                                                                                                                                         |
| Batteries included       | ✓                                                                                                                                                                                         |
| Bundled software         | Digital Photo Professional 4.5, EOS Utility 3.5, Picture Style Editor, Map Utility, EOS Lens Registration Tool, EOS Web Service Registration Tool, Canon Camera connect app (iOS/Android) |
| Other features           |                                                                                                                                                                                           |
| Power source type        | Battery                                                                                                                                                                                   |
| Technical details        |                                                                                                                                                                                           |
| Flash type               | E-TTL II                                                                                                                                                                                  |
| Self-timer               | ✓                                                                                                                                                                                         |



0013803281354



013803281354



3662362052201

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.