



LG 49VL5PJ-A Signage Display Panorama design 124.5 cm (49") 500 cd/m² Full HD Black 24/7



Brand : LG

Product code: 49VL5PJ-A

Product name : 49VL5PJ-A

- Brightness(Typ.) : 500 nit
 - Bezel : 2.25 mm (T/L), 1.25 mm (B/R)
 - Depth : 89.7 mm
 - Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR
- 49", 500 nits, 1920 x 1080 px, FHD, IPS, 100-240V, 50/60Hz, 1077.6 x 607.8 x 89.7 mm, 17.8 kg

LG 49VL5PJ-A Signage Display Panorama design 124.5 cm (49") 500 cd/m² Full HD Black 24/7:

Daisy Chain Capability

By using this daisy-chained network feature, you can execute commands such as controlling, monitoring and even updating firmware.

Real-Time LG ConnectedCare

Maintenance is easy and fast with the optional LG ConnectedCare* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, enabling the stable operation of clients' businesses.

LG 49VL5PJ-A. Product design: Panorama design. Display diagonal: 124.5 cm (49"), Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black

Display		Design	
Panel type	IPS	Bezel width (top)	2.25 mm
LED backlighting type	Direct-LED	Performance	
Display diagonal *	124.5 cm (49")	Purpose *	Commercial
Display resolution *	1920 x 1080 pixels	On Screen Display (OSD)	✓
Display brightness *	500 cd/m ²	Operating hours (hours/days)	24/7
HD type *	Full HD	Power	
Touchscreen *	✗	Power consumption (typical) *	110 W
Native aspect ratio	16:9	Power consumption (off)	0.5 W
Response time	8 ms	Energy efficiency class (SDR)	G
Contrast ratio (typical)	1000:1	Energy consumption (SDR) per 1000 hours	73 kWh
Contrast ratio (dynamic)	500000:1	AC input voltage	100-240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Heat dissipation	375 BTU/h
Display number of colours	1.07 billion colours	Energy efficiency scale	A to G
Rated lifetime	60000 h	Weight & dimensions	
Native refresh rate	60 Hz	Display width	1077.6 mm
Haze rate	3%	Display depth	89.7 mm
Ports & interfaces		Display height	607.8 mm
HDMI ports quantity *	2	Display weight	17.8 kg
HDMI version	2.2	Packaging data	
DVI port *	✓	Package width	1198 mm
DVI-D ports quantity	1	Package depth	247 mm
DisplayPorts quantity *	1	Package height	756 mm
USB port *	✓	Package weight	21.9 kg
USB ports quantity	1	Packaging content	
USB version	2.0	Remote control included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	DisplayPort, LAN (RJ-45), Power
RS-232C	✓		
Design			
Product design *	Panorama design		
Product colour *	Black		

Design		Operational conditions	
Screen shape	Flat	Operating temperature (T-T)	0 - 40 °C
VESA mounting *	✓	Operating relative humidity (H-H)	10 - 80%
Panel mounting interface	600 x 400 mm	Network	
Bezel width (bottom)	2.25 mm	Ethernet LAN *	✓
Bezel width (side)	1.25 mm	Wi-Fi *	✗



8806091383150



8806091370211



0195174013922



195174013922

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.