



LG 55VH7J-H Signage Display Panorama design 139.7 cm (55") 700 cd/m² Full HD Black 24/7



Brand : LG


Product code: 55VH7J-H

Product name : 55VH7J-H


- Brightness(Typ.) : 700 nit
- Bezel : 1.74mm (Panel Bezel to Panel Bezel), 1.3mm (T/L), 0.44mm (B/R)
- Depth : 86.9 mm
- Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR
55", 700 nits, 1920 x 1080 px, FHD, IPS, 100-240V, 50/60Hz, 1212.2 x 683.0 x 86.9 mm, 18.8 kg
LG 55VH7J-H. Product design: Panorama design. Display diagonal: 139.7 cm (55"), Display resolution: 1920 x 1080 pixels, Display brightness: 700 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7.
Product colour: Black

Display		Performance	
Panel type	IPS	Purpose *	Commercial
LED backlighting type	Direct-LED	On Screen Display (OSD)	✓
Display diagonal *	139.7 cm (55")	Operating hours (hours/days)	24/7
Display resolution *	1920 x 1080 pixels	Power	
Display brightness *	700 cd/m ²	Power consumption (typical) *	250 W
HD type *	Full HD	Power consumption (off)	0.5 W
Touchscreen *	✗	Energy efficiency class (SDR)	G
Native aspect ratio	16:9	Energy consumption (SDR) per 1000 hours	157 kWh
Response time	8 ms	AC input voltage	100-240 V
Contrast ratio (typical)	1000:1	AC input frequency	50/6 Hz
Contrast ratio (dynamic)	500000:1	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Display width	1212.2 mm
Display number of colours	1.07 billion colours	Display depth	86.9 mm
Rated lifetime	60000 h	Display height	683 mm
Native refresh rate	60 Hz	Display weight	18.8 kg
Haze rate	28%	Packaging data	
Ports & interfaces		Package width	1353 mm
HDMI ports quantity *	2	Package depth	263 mm
HDMI version	2.2	Package height	855 mm
DVI port *	✓	Package weight	31 kg
DVI-D ports quantity	1	Packaging content	
DisplayPorts quantity *	1	Remote control included	✓
USB port *	✓	Cables included	DisplayPort, Power, RS-232
USB ports quantity	1	Operational conditions	
USB version	2.0	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1	Operating relative humidity (H-H)	10 - 80%
RS-232C	✓	Logistics data	
Design		Country of origin	South Korea
Product design *	Panorama design		
Product colour *	Black		
VESA mounting *	✓		

Design		Network	
Panel mounting interface	600 x 400 mm	Ethernet LAN *	✓



8806091407658



0195174014035



195174014035

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.