



Canon EOS R6 Mark II RF24-105mm F4-7.1 IS STM

Brand : CanonProduct family: EOSProduct code: 5666C018

Product name : R6 Mark II
RF24-105mm F4-7.1 IS STM

- High image quality featuring a new 24.2 megapixel full-frame CMOS sensor
 - DIGIC X Image Processor with an ISO range of 100-102400
 - 6K oversampled uncropped 4K movie at up to 60 fps
 - Automatic subject detection of people, animals, and vehicles
 - In-body Image Stabilizer with up to 8 stops of Shake Correction with Coordinated Control IS
 - UVC/UAC compatibility allows use as a web camera and stream live video in Full HD
- EOS R6 Mark II RF24-105mm F4-7.1 IS STM
Canon EOS R6 Mark II RF24-105mm F4-7.1 IS STM. Camera type: MILC, Megapixel (approx.): 24.2 MP, Sensor type: CMOS. ISO sensitivity (max): 102400. Fastest camera shutter speed: 1/8000 s. Wi-Fi. Touchscreen. Viewfinder type: Electronic. Weight: 588 g. Product colour: Black



Picture quality		Viewfinder	
Camera type *	MILC	Viewfinder frame rate (smooth mode)	60 fps
Megapixel (approx.) *	24.2 MP	Viewfinder resolution (approx.)	3690000 pixels
Sensor type *	CMOS	Ports & interfaces	
Sensor cleaning system	Ultrasonic vibration	USB version *	3.2 Gen 2 (3.1 Gen 2)
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 6000 x 3368, 3984 x 2240, 2976 x 1680, 2400 x 1344, 5328 x 4000, 3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656, 1984 x 1984, 1600 x 1600, 4000 x 4000	USB connector	USB Type-C
		HDMI *	✓
		HDMI connector type	Micro
		Microphone in	✓
		Headphone outputs	1
Image stabilizer *	✓	Headphone connectivity	3.5 mm
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Network	
Image sensor size (W x H)	35.9 x 23.9 mm	Bluetooth *	✓
Sensor format	Full-frame	Bluetooth version	5
Image formats supported *	JPEG, Raw, C-Raw, HEIF	Bluetooth Low Energy (BLE)	✓
Lens system		Wi-Fi *	✓
Lens mount interface	Canon RF	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Focusing		Camera	
Focus *	TTL	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Focus adjustment *	Auto/Manual	Scene modes *	Auto
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus	Shooting modes *	Intelligent auto
Auto Focus (AF) object detection	Animal, Bird, Eye, Face, People, Vehicle	Self-timer delay *	2,10 s
Face tracking	✓	Dioptr correction	✓
Auto Focus (AF) lock	✓	Dioptr adjustment (D-D)	-4 - 2
Auto Focus (AF) assist beam	✓	Histogram	✓
Exposure		Live view	✓
ISO sensitivity (min) *	100	Orientation sensor	✓
ISO sensitivity (max) *	102400	Anti-dust function	✓
ISO sensitivity	100, 6400, 25600, 51200	Smartphone/tablet remote support	✓
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE		
Light exposure control	Program AE		

Exposure		Camera	
Light exposure correction *	± 3EV (1/2EV; 1/3EV step)	View on smartphone	✓
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	Tripod mounting supported *	✓
Auto Exposure (AE) lock	✓	Image processor	DIGIC X
Number of measurement zones	384	Design	
Shutter		Product colour *	Black
Fastest camera shutter speed *	1/8000 s	Dustproof	✓
Slowest camera shutter speed *	30 s	Splash proof	✓
Camera shutter type	Mechanical	Battery	
Flash		Battery technology *	Lithium-Ion (Li-Ion)
Flash exposure lock	✓	Battery type	LP-E6NH
External flash connector	✓	Number of batteries supported	1
Flash exposure compensation	✓	Battery level indicator	✓
Shoe mounting point	✓	Power	
Shoe mounting point type	Hot shoe	USB Type-C charging port *	✓
Video		USB Type-C required charging power (min) *	7.5 W
Video recording *	✓	USB Type-C required charging power (max) *	7.5 W
Video resolutions	1920 x 1080, 3840 x 2160 pixels	Operational conditions	
Video formats supported	H.264, H.265	Operating temperature (T-T)	2 - 40 °C
Colour sampling	YCbCr4:2:0 8-bit, YCbCr4:2:2 10-bit	Weight & dimensions	
Audio		Width	138.4 mm
Built-in microphone *	✓	Depth	88.4 mm
Built-in speaker(s)	✓	Height	98.4 mm
Audio system	stereo	Weight	588 g
Wind filter	✓	Weight (including battery)	670 g
Audio formats supported	LPCM, AAC	Packaging data	
Memory		Quantity per pack	1 pc(s)
Compatible memory cards *	SD, SDHC, SDXC	Package width	225 mm
Memory slots	2	Package depth	282 mm
Display		Package height	188 mm
Display *	LCD	Package weight	2.32 kg
Touchscreen *	✓	Packaging content	
Display diagonal (metric)	7.5 cm	Neck strap included	✓
Display resolution	1620000 dot	AC adapter included *	✗
Display aspect ratio	3:2	Battery charger included	✓
Vari-angle LCD display	✓	Batteries included	✓
Viewfinder		Logistics data	
Viewfinder type	Electronic	Products per pallet	96 pc(s)
Magnification	0.76x		
Viewfinder screen size	0.5"		
Viewfinder frame rate (power saving mode)	120 fps		



0013803348958



013803348958



0603765652646



603765652646

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.