



Canon RF15-30mm F4.5-6.3 IS STM Overview

Brand : Canon

Product code: 5775C002

Product name : RF15-30mm F4.5-6.3 IS STM Overview

RF15-30mm F4.5-6.3 IS STM Overview
Canon RF15-30mm F4.5-6.3 IS STM Overview. Component for: MILC, Lens structure (elements/groups): 13/11, Lens type: Ultra-wide lens. Camera brands compatibility: Canon, AF actuator: STM, Lens colour: Black. Product colour: Black. Products per master (outer) case: 6 pc(s), Master (outer) case gross weight: 4.11 kg, Master (outer) case length: 386 mm. Diameter: 7.66 cm, Filter size: 67 mm, Length: 88.8 mm



Lens system		Performance	
Component for *	MILC	Compatible products	Objektivrückdeckel RF, Filterhalter IV (67mm), Canon Schutzfilter (67mm), Canon PL-C B Zirkularpolfiter (67mm), Objektivtasche LP1116. Streulichblende nicht im Lieferumfang enthalten.
Lens type *	Ultra-wide lens		
Lens structure (elements/groups) *	13/11		
Lens viewing angle, horizontal	100° 25' - 61°55'		
Lens viewing angle, vertical	77° 20' - 43° 35'		
Lens viewing angle, diagonal	110° 30'- 71° 35'		
Focal length range	15 - 30 mm	Design	
Minimum aperture number *	4.5	Product colour	Black
Number of diaphragm blades	7	Waterproof	✗
Maximum aperture number *	6.3	Dustproof	✗
Number of aspheric elements	1	Logistics data	
Image sensor format	Full frame	Products per master (outer) case	6 pc(s)
Lens mount interface *	Canon RF	Master (outer) case gross weight	4.11 kg
Control ring	✓	Master (outer) case length	386 mm
Image stabilizer	✓	Master (outer) case width	263 mm
Image stabilizer type	Optical Image Stabilization (OIS)	Master (outer) case height	237 mm
Image stabilizer number of stops	5.5	Products per pallet	180 pc(s)
Image stabilizer number of stops (OIS)	5.5	Pallet gross length	120 cm
Image stabilizer number of stops (IBIS x OIS)	7	Pallet gross width	80 cm
Performance		Pallet gross height	131.5 cm
Auto focus	✓	Quantity per pack	1 pc(s)
Manual focus	✓	Pallet gross weight	199.9 kg
AF actuator	STM	Layers per pallet	5 pc(s)
Lens colour	Black	Master (outer) cases per pallet layer	6 pc(s)
Camera brands compatibility *	Canon	Products per pallet layer	36 pc(s)
Maximum magnification	2x	Weight & dimensions	
Lens coating features	Super Spectra Coating (SSC)	Length	88.8 mm
Distance information	✓	Weight	390 g
Number of Ultra-low Dispersion (UD) elements	2	Diameter *	7.66 cm
Lens hood	✓	Filter size *	67 mm
Lens hood model	EW-73E	Packaging data	
		Package width	122 mm
		Package depth	122 mm
		Package height	183 mm
		Package weight	577.5 g

Packaging content

Lens cap included	✓
Lens cap model	E-67 II
Rear lens cap included	✓
Rear lens cap model	RF
User guide	✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.